

Annexure-I
Standards of Performance Level by the Distribution Licensee
Format for Quarterly Return to be submitted to the Commission by the Distribution Licensee

Name of Distribution Licensee: Adani Electricity Mumbai Limited
Period: July 2018 to Sept-2018

| Sr.No. | SOP Regulation No. | Parameters | Area | Pending complaint Nos. (previous Quarter) | Complaints in current Qtr. | Total complaints | No. of complaints addressed | | | Pending complaints at end of Qtr. | Remarks |
|--------|--------------------|---|----------------------|---|----------------------------|------------------|---------------------------------|---------------------------|----------------------------|-----------------------------------|---|
| | | | | | | | Within Standards of performance | More than stipulated time | Total complaints redressed | | |
| | a | b | c | d | e | f=d+e | g | h | i=g+h | j=f-i | |
| 1 | 4.3 | New connection* - inspection of premises | Class-I Cities/Urban | 61 | 7114 | 7175 | 7172 | 1 | 7173 | 2 | Delayed due to Non Compliance by applicant -1 case |
| 2 | 4.4 | Intimation of charges where supply from existing lines | Class-I Cities/Urban | 82 | 5418 | 5500 | 5493 | 1 | 5494 | 6 | Delayed due to Non Compliance by applicant -1 case |
| 3 | 4.5 & 4.6 | Intimation of charges where supply to dedicated or after extension / augmentation | Class-I Cities/Urban | 44 | 1696 | 1740 | 1726 | 1 | 1727 | 13 | Delayed due to Wrong application by applicant-1 case |
| 4 | 4.7 | New connection/ add. load where supply from existing line | | 203 | 5392 | 5595 | 5201 | 81 | 5282 | 313 | Delayed due to - Non-Compliance by applicant-72 cases, Third party Objection -9 cases |
| 5 | 4.8 | New connection/ add. Load where supply after | | 312 | 1596 | 1908 | 1457 | 0 | 1457 | 451 | |
| 6 | 4.9 | New connection/ add. load where supply after | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4.12 | Shifting of Meter / service Line | Class-I Cities/Urban | 416 | 409 | 825 | 420 | 0 | 420 | 405 | |
| 8 | 6.10 | Reconnection of supply after payment of dues | Class-I Cities/Urban | 0 | 14019 | 14019 | 14019 | 0 | 14019 | 0 | |
| 9 | 4.13 | Change of Name | | 0 | 18941 | 18941 | 18941 | 0 | 18941 | 0 | |
| 10 | 4.13 | Change of category | | 142 | 1054 | 1196 | 1056 | 0 | 1056 | 140 | |
| 11 | 5.4 (a) | Complaint of Voltage | | 0 | 1150 | 1150 | 1150 | 0 | 1150 | 0 | |
| 12 | 5.4 (b) | Complaint of Voltage | | 0 | 702 | 702 | 702 | 0 | 702 | 0 | |
| 13 | 5.4 (c) | Complaint of Voltage Variation - Expansion / | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 14 | 6.1 | Fuse off call | Class-I Cities/Urban | 0 | 22566 | 22566 | 22386 | 180 | 22566 | 0 | Refer Notes below |
| 15 | 6.2 | Breakdown of Overhead Line | Class-I Cities/Urban | 0 | 1 | 1 | 1 | 0 | 1 | 0 | |

| Sr.No. | SOP Regulation No. | Parameters | Area | Pending complaint Nos. (previous Quarter) | Complaints in current Qtr. | Total complaints | No. of complaints addressed | | | Pending complaints at end of Qtr. | Remarks |
|--------|--------------------|-------------------------------|----------------------|---|----------------------------|------------------|---------------------------------|---------------------------|----------------------------|-----------------------------------|--|
| | | | | | | | Within Standards of performance | More than stipulated time | Total complaints redressed | | |
| 16 | 6.3 | Underground Cable fault | Class-I Cities/Urban | 0 | 15969 | 15969 | 14981 | 988 | 15969 | 0 | Refer Notes below |
| 17 | 6.4 | Transformer failure | Class-I Cities/Urban | 0 | 6 | 6 | 6 | 0 | 6 | 0 | |
| 18 | 7.2 | Meter Reading | | 0 | 7351925 | 7351925 | 7350956 | 969 | 7351925 | 0 | Delayed due to - No access to meter cabin : 538, Key not available : 431 |
| 19 | 7.3 | Replacement of Faulty Meter** | Class-I Cities/Urban | 0 | 2931 | 2931 | 2931 | 0 | 2931 | 0 | |
| 20 | 7.4 | Replacement of Burnt Meter | Class-I Cities/Urban | 0 | 1902 | 1902 | 1902 | 0 | 1902 | 0 | |
| 21 | 7.6 , 7.7 | Billing Complaint | | 133 | 7824 | 7957 | 7261 | 0 | 7261 | 696 | |

Notes:

* New Connection report is based on number of applications received of individual building wherein multiple meters are connected.

** Faulty meter includes- Defect in the meters not affecting the customer's supply, however affecting recording of consumer's consumption and needs immediate replacement. This does not include black spot meters, meters used for reconnection of supply, meter replaced on consumer request, stolen or missing meters.

Fuse of Call & Underground Cable faults:

| Sr.no | Reasons for delay | 6.1 Fuse off call | 6.3UG Cable fault |
|--------------------|--|-------------------|-------------------|
| 1 | In theft prone areas miscreants are tapping wires from AEML's feeder boxes and meter cabins. The overloading due to such unauthorized load results in to interruption of supply. AEML is taking efforts to remove such unauthorized connections from time to time. During any interruption, for safety purpose, AEML needs to first remove such unauthorized connections and then restore the supply. This results in delay in restoration of supply to complainant or even delay repairing of fault. Events related to this reason are specified here. | 16 | 311 |
| 2 | Adverse site conditions (cable deep/multiple cables at one location/road crossing/supply restoration not possible by temporary means/mass objection): AEML's network is developed over 7 decades. Due to road widening, level raising, concerting, etc. cables have gone deep under the roads. It takes time to get all necessary permission and excavation for repair of such faults. Since using temporary cable or wire on such public roads is safety hazard, it is preferred to repair the fault. Mass objections on site is also faced sometimes. Availability of multiple Utilities under ground and makes it difficult to trace/locate the fault. In such cases supply restoration is delayed. | 31 | 189 |
| 3 | Heavy Rains, Water Logging, water ingress due to side by Nalla: In such conditions it becomes difficult to access installation/cables. In such cases it take more time to attended compliant/fault. | 17 | 130 |
| 4 | Request from Consumer to attend the fault at later suitable time | 0 | 98 |
| 5 | Fault at Consumer installation, which consumer needs to rectify. Supply is kept OFF for safety purpose. | 0 | 28 |
| 6 | Objection from Consumer: Some time consumers in the area take the objection (specially in slums) for excavation or laying of temporary cable or wire. At times it becomes very difficult to convince public and take longer time. Such events are covered here. | 0 | 20 |
| 7 | Access issue to meter cabin /AEML network equipment: Many times it is found that the access to AEML feeder pillars / meter cabin is blocked due to car or motor cycle parking or by any other means. This requires first removal of such obstructions to get access. It take linger time to search owner or call traffic police to get the site cleared. Once the access is available, repairing work is initiated. However, this delays the supply restoration. | 0 | 15 |
| 8 | Labour commotion | 116 | 192 |
| 9 | Multiple Faults: In some cases multiple faults get developed due to damages by external agency (e.g. road widening/concreting contractors). After repair of one fault, on testing other fault is noticed. Restoration is not possible unless all the faults are repaired. | 0 | 1 |
| 10 | Multiple services tapped from common point/main network: It was old practice to tap services from common point. If any service cable becomes faulty, for isolation, it takes more time as all services need to be removed, diverted and then take-up the work on faulty service. In such cases it requires more time as number of works involved are multiple | 0 | 4 |
| Grand Total | | 180 | 988 |

Annexure-II
Report of individual Complaints where Compensation has been paid
Format for quarterly return to be submitted to the Commission by the Distribution Licensee

Name of Distribution Licensee: Adani Electricity Mumbai Limited
Period: July 2018 to Sept-2018

| Sr. No. | Complaint No. | Date of filing complaint | Consumer No. | Name and address of Consumer | Nature of Complaint | Reference Standard of Performance | Amount of Compensation (Rs.) | Date of payment of Compensation (DD/MM/YYYY) |
|---------|---------------|--------------------------|--------------|------------------------------|---------------------|-----------------------------------|------------------------------|--|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| 1 | NIL | | | | | | | |
| 2 | | | | | | | | |
| 3 | | | | | | | | |
| 4 | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |

NOTE - The report shall be prepared as per category of item for which the compensation is paid for non- observance of Standards of Performance.

Annexure-III
Report of action on Faulty Meters (1 Phase/ 3 Phase)
Format for quarterly return to be submitted to the Commission by the Distribution Licensee

Name of Distribution Licensee: Adani Electricity Mumbai Limited
Period: July 2018 to Sept-2018

| Sr.No. | Name of Distribution Licensee | Reference to Overall Standards | Faulty Meters at the start of the Quarter (Nos.) | Faulty Meters added during Quarter (Nos.) | Total Faulty Meters (Nos.) | Meters rectified / replaced (Nos.) | Faulty Meters pending at end of Quarter (Nos.) |
|--------|-------------------------------|--------------------------------|--|---|----------------------------|------------------------------------|--|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| 1 | AEML | 7.3 | 0 | 2931 | 2931 | 2931 | 0 |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |

Note:

Faulty meter includes- Defect in the meters not affecting the customer's supply, however affecting recording of consumer's consumption and needs immediate replacement. This does not include black spot meters, meters used for reconnection of supply, meter replaced on consumer request, stolen or missing meters.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(1) System Average Interruption Duration Index (SAIDI)

Name of Distribution Licensee: Adani Electricity Mumbai Limited

Period: July 2018 to Sept-2018

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1 | Jul-18 | 1 | 21 | 3013966 | 21 | 0.0000 |
| 2 | Jul-18 | 36 | 20 | 3013966 | 720 | 0.0002 |
| 3 | Jul-18 | 172 | 6.2 | 3013966 | 1066 | 0.0004 |
| 4 | Jul-18 | 163 | 10 | 3013966 | 1630 | 0.0005 |
| 5 | Jul-18 | 257 | 13.5 | 3013966 | 3470 | 0.0012 |
| 6 | Jul-18 | 211 | 20 | 3013966 | 4220 | 0.0014 |
| 7 | Jul-18 | 290 | 18 | 3013966 | 5220 | 0.0017 |
| 8 | Jul-18 | 392 | 15 | 3013966 | 5880 | 0.0020 |
| 9 | Jul-18 | 257 | 32.74 | 3013966 | 8414 | 0.0028 |
| 10 | Jul-18 | 425 | 21 | 3013966 | 8925 | 0.0030 |
| 11 | Jul-18 | 374 | 23.87 | 3013966 | 8927 | 0.0030 |
| 12 | Jul-18 | 392 | 28.44 | 3013966 | 11148 | 0.0037 |
| 13 | Jul-18 | 902 | 17 | 3013966 | 15334 | 0.0051 |
| 14 | Jul-18 | 1523 | 10.27 | 3013966 | 15641 | 0.0052 |
| 15 | Jul-18 | 594 | 28.03 | 3013966 | 16650 | 0.0055 |
| 16 | Jul-18 | 1047 | 17.32 | 3013966 | 18134 | 0.0060 |
| 17 | Jul-18 | 446 | 41.69 | 3013966 | 18594 | 0.0062 |
| 18 | Jul-18 | 1312 | 15.93 | 3013966 | 20900 | 0.0069 |
| 19 | Jul-18 | 1064 | 20 | 3013966 | 21280 | 0.0071 |
| 20 | Jul-18 | 1291 | 16.7 | 3013966 | 21560 | 0.0072 |
| 21 | Jul-18 | 1037 | 21.22 | 3013966 | 22005 | 0.0073 |
| 22 | Jul-18 | 3700 | 6 | 3013966 | 22200 | 0.0074 |
| 23 | Jul-18 | 1316 | 18 | 3013966 | 23688 | 0.0079 |
| 24 | Jul-18 | 2863 | 8.8 | 3013966 | 25194 | 0.0084 |
| 25 | Jul-18 | 1263 | 20 | 3013966 | 25260 | 0.0084 |
| 26 | Jul-18 | 585 | 43.29 | 3013966 | 25325 | 0.0084 |
| 27 | Jul-18 | 1438 | 18.27 | 3013966 | 26272 | 0.0087 |
| 28 | Jul-18 | 761 | 37 | 3013966 | 28157 | 0.0093 |
| 29 | Jul-18 | 1261 | 22.42 | 3013966 | 28272 | 0.0094 |
| 30 | Jul-18 | 863 | 33 | 3013966 | 28479 | 0.0094 |
| 31 | Jul-18 | 1203 | 24 | 3013966 | 28872 | 0.0096 |
| 32 | Jul-18 | 771 | 39.02 | 3013966 | 30084 | 0.0100 |
| 33 | Jul-18 | 1678 | 19.3 | 3013966 | 32385 | 0.0107 |
| 34 | Jul-18 | 804 | 40.99 | 3013966 | 32956 | 0.0109 |
| 35 | Jul-18 | 2050 | 16.77 | 3013966 | 34379 | 0.0114 |
| 36 | Jul-18 | 1380 | 25.88 | 3013966 | 35714 | 0.0118 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| 37 | Jul-18 | 2221 | 20 | 3013966 | 44420 | 0.0147 |
| 38 | Jul-18 | 2076 | 21.62 | 3013966 | 44883 | 0.0149 |
| 39 | Jul-18 | 2169 | 22 | 3013966 | 47718 | 0.0158 |
| 40 | Jul-18 | 1384 | 34.87 | 3013966 | 48260 | 0.0160 |
| 41 | Jul-18 | 1497 | 35.06 | 3013966 | 52485 | 0.0174 |
| 42 | Jul-18 | 3077 | 18.06 | 3013966 | 55571 | 0.0184 |
| 43 | Jul-18 | 1767 | 35.3 | 3013966 | 62375 | 0.0207 |
| 44 | Jul-18 | 2944 | 22 | 3013966 | 64768 | 0.0215 |
| 45 | Jul-18 | 1993 | 34.05 | 3013966 | 67862 | 0.0225 |
| 46 | Jul-18 | 2985 | 23.75 | 3013966 | 70894 | 0.0235 |
| 47 | Jul-18 | 2135 | 36.09 | 3013966 | 77052 | 0.0256 |
| 48 | Jul-18 | 5375 | 18.4 | 3013966 | 98900 | 0.0328 |
| 49 | Jul-18 | 3263 | 34.89 | 3013966 | 113846 | 0.0378 |
| 50 | Jul-18 | 5375 | 21.26 | 3013966 | 114273 | 0.0379 |
| 51 | Jul-18 | 5609 | 21.39 | 3013966 | 119977 | 0.0398 |
| 52 | Jul-18 | 5033 | 26.16 | 3013966 | 131663 | 0.0437 |
| 53 | Jul-18 | 1897 | 74.8 | 3013966 | 141896 | 0.0471 |
| 54 | Jul-18 | 5997 | 25.05 | 3013966 | 150225 | 0.0498 |
| 55 | Jul-18 | 5177 | 29.7 | 3013966 | 153757 | 0.0510 |
| 56 | Jul-18 | 3818 | 41.41 | 3013966 | 158103 | 0.0525 |
| 57 | Jul-18 | 4091 | 39 | 3013966 | 159549 | 0.0529 |
| 58 | Jul-18 | 4527 | 42.21 | 3013966 | 191085 | 0.0634 |
| 59 | Jul-18 | 6124 | 38.43 | 3013966 | 235345 | 0.0781 |
| 60 | Jul-18 | 8290 | 31 | 3013966 | 256990 | 0.0853 |
| 61 | Jul-18 | 7780 | 39.93 | 3013966 | 310655 | 0.1031 |
| 62 | Jul-18 | 23213 | 25.12 | 3013966 | 583111 | 0.1935 |
| 63 | Jul-18 | 88 | 18 | 3013966 | 1584 | 0.0005 |
| 64 | Jul-18 | 35 | 52.42 | 3013966 | 1835 | 0.0006 |
| 65 | Jul-18 | 418 | 59.51 | 3013966 | 24875 | 0.0083 |
| 66 | Jul-18 | 1461 | 18.62 | 3013966 | 27204 | 0.0090 |
| 67 | Jul-18 | 2771 | 12.69 | 3013966 | 35164 | 0.0117 |
| 68 | Jul-18 | 1093 | 40.65 | 3013966 | 44430 | 0.0147 |
| 69 | Jul-18 | 489 | 103.2 | 3013966 | 50465 | 0.0167 |
| 70 | Jul-18 | 1202 | 61.91 | 3013966 | 74416 | 0.0247 |
| 71 | Jul-18 | 6408 | 24.16 | 3013966 | 154817 | 0.0514 |
| 72 | Jul-18 | 4508 | 34.36 | 3013966 | 154895 | 0.0514 |
| 73 | Jul-18 | 2910 | 76.31 | 3013966 | 222062 | 0.0737 |
| 74 | Jul-18 | 1530 | 24.24 | 3013966 | 37087 | 0.0123 |
| 75 | Jul-18 | 6189 | 10.28 | 3013966 | 63623 | 0.0211 |
| 76 | Jul-18 | 4687 | 35.07 | 3013966 | 164373 | 0.0545 |
| 77 | Jul-18 | 4572 | 49 | 3013966 | 224028 | 0.0743 |
| 78 | Jul-18 | 290 | 29 | 3013966 | 8410 | 0.0028 |
| 79 | Jul-18 | 2794 | 7 | 3013966 | 19558 | 0.0065 |
| 80 | Jul-18 | 1756 | 25.77 | 3013966 | 45252 | 0.0150 |
| 81 | Jul-18 | 5109 | 9 | 3013966 | 45981 | 0.0153 |
| 82 | Jul-18 | 4586 | 24 | 3013966 | 110064 | 0.0365 |
| 83 | Jul-18 | 9733 | 14.18 | 3013966 | 138014 | 0.0458 |
| Total | | 216568 | 27.06 | 3013966 | 5860776 | 1.9445 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|-------|---|---|---|--|-----------------------------|
|--------|-------|---|---|---|--|-----------------------------|

Remark :

- 1 Customer served by Rinfra are 3013966 nos.
- 2 Number of feeders are 1164 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee

(1) System Average Interruption Duration Index (SAIDI)

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1 | Aug-18 | 70 | 15.4 | 3015065 | 1078 | 0.0004 |
| 2 | Aug-18 | 260 | 14.88 | 3015065 | 3869 | 0.0013 |
| 3 | Aug-18 | 177 | 22 | 3015065 | 3894 | 0.0013 |
| 4 | Aug-18 | 229 | 36.53 | 3015065 | 8365 | 0.0028 |
| 5 | Aug-18 | 586 | 18 | 3015065 | 10548 | 0.0035 |
| 6 | Aug-18 | 471 | 27.01 | 3015065 | 12722 | 0.0042 |
| 7 | Aug-18 | 1274 | 13.03 | 3015065 | 16600 | 0.0055 |
| 8 | Aug-18 | 876 | 20 | 3015065 | 17520 | 0.0058 |
| 9 | Aug-18 | 2171 | 13 | 3015065 | 28223 | 0.0094 |
| 10 | Aug-18 | 1901 | 15.92 | 3015065 | 30264 | 0.0100 |
| 11 | Aug-18 | 765 | 43.25 | 3015065 | 33086 | 0.0110 |
| 12 | Aug-18 | 2228 | 16.18 | 3015065 | 36049 | 0.0120 |
| 13 | Aug-18 | 1655 | 27 | 3015065 | 44685 | 0.0148 |
| 14 | Aug-18 | 2191 | 23 | 3015065 | 50393 | 0.0167 |
| 15 | Aug-18 | 1818 | 29.5 | 3015065 | 53631 | 0.0178 |
| 16 | Aug-18 | 2362 | 22.95 | 3015065 | 54208 | 0.0180 |
| 17 | Aug-18 | 1091 | 50.14 | 3015065 | 54703 | 0.0181 |
| 18 | Aug-18 | 2394 | 23 | 3015065 | 55062 | 0.0183 |
| 19 | Aug-18 | 2191 | 28 | 3015065 | 61348 | 0.0203 |
| 20 | Aug-18 | 6089 | 11 | 3015065 | 66979 | 0.0222 |
| 21 | Aug-18 | 2862 | 23.83 | 3015065 | 68201 | 0.0226 |
| 22 | Aug-18 | 1979 | 35 | 3015065 | 69265 | 0.0230 |
| 23 | Aug-18 | 4207 | 18 | 3015065 | 75726 | 0.0251 |
| 24 | Aug-18 | 2191 | 35 | 3015065 | 76685 | 0.0254 |
| 25 | Aug-18 | 2718 | 34 | 3015065 | 92412 | 0.0307 |
| 26 | Aug-18 | 2544 | 36.66 | 3015065 | 93263 | 0.0309 |
| 27 | Aug-18 | 3634 | 27.22 | 3015065 | 98917 | 0.0328 |
| 28 | Aug-18 | 3050 | 37.48 | 3015065 | 114314 | 0.0379 |
| 29 | Aug-18 | 4028 | 29.29 | 3015065 | 117980 | 0.0391 |
| 30 | Aug-18 | 8129 | 16.62 | 3015065 | 135104 | 0.0448 |
| 31 | Aug-18 | 31037 | 6 | 3015065 | 186222 | 0.0618 |
| 32 | Aug-18 | 6420 | 40.51 | 3015065 | 260074 | 0.0863 |
| 33 | Aug-18 | 2222 | 146 | 3015065 | 324412 | 0.1076 |
| 34 | Aug-18 | 11832 | 30.3 | 3015065 | 358510 | 0.1189 |
| 35 | Aug-18 | 7331 | 76.78 | 3015065 | 562874 | 0.1867 |
| 36 | Aug-18 | 24 | 231 | 3015065 | 5544 | 0.0018 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| 37 | Aug-18 | 1416 | 46.85 | 3015065 | 66340 | 0.0220 |
| 38 | Aug-18 | 4290 | 16.32 | 3015065 | 70013 | 0.0232 |
| 39 | Aug-18 | 5452 | 28.8 | 3015065 | 157018 | 0.0521 |
| 40 | Aug-18 | 3019 | 55.27 | 3015065 | 166860 | 0.0553 |
| 41 | Aug-18 | 2538 | 76.38 | 3015065 | 193852 | 0.0643 |
| 42 | Aug-18 | 4 | 46.8 | 3015065 | 187 | 0.0001 |
| 43 | Aug-18 | 781 | 23.56 | 3015065 | 18400 | 0.0061 |
| 44 | Aug-18 | 7799 | 30.58 | 3015065 | 238493 | 0.0791 |
| 45 | Aug-18 | 480 | 7 | 3015065 | 3360 | 0.0011 |
| 46 | Aug-18 | 536 | 10 | 3015065 | 5360 | 0.0018 |
| 47 | Aug-18 | 536 | 18 | 3015065 | 9648 | 0.0032 |
| 48 | Aug-18 | 1598 | 10 | 3015065 | 15980 | 0.0053 |
| 49 | Aug-18 | 2168 | 8 | 3015065 | 17344 | 0.0058 |
| 50 | Aug-18 | 2544 | 9 | 3015065 | 22896 | 0.0076 |
| 51 | Aug-18 | 2862 | 17.15 | 3015065 | 49083 | 0.0163 |
| Total | | 161030 | 26.81 | 3015065 | 4317566 | 1.4320 |

Remark :

- 1 Customer served by Rinfra are 3015065 nos.
- 2 Number of feeders are 1167 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(1) System Average Interruption Duration Index (SAIDI)

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) |
| 1 | Sep-18 | 1 | 24 | 3014468 | 24 | 0.0000 |
| 2 | Sep-18 | 4 | 30.45 | 3014468 | 122 | 0.0000 |
| 3 | Sep-18 | 22 | 24.22 | 3014468 | 533 | 0.0002 |
| 4 | Sep-18 | 18 | 34 | 3014468 | 612 | 0.0002 |
| 5 | Sep-18 | 32 | 24 | 3014468 | 768 | 0.0003 |
| 6 | Sep-18 | 343 | 7.87 | 3014468 | 2699 | 0.0009 |
| 7 | Sep-18 | 257 | 21 | 3014468 | 5397 | 0.0018 |
| 8 | Sep-18 | 276 | 20 | 3014468 | 5520 | 0.0018 |
| 9 | Sep-18 | 536 | 15 | 3014468 | 8040 | 0.0027 |
| 10 | Sep-18 | 727 | 15 | 3014468 | 10905 | 0.0036 |
| 11 | Sep-18 | 353 | 32 | 3014468 | 11296 | 0.0037 |
| 12 | Sep-18 | 672 | 17.04 | 3014468 | 11451 | 0.0038 |
| 13 | Sep-18 | 576 | 21.88 | 3014468 | 12603 | 0.0042 |
| 14 | Sep-18 | 667 | 19 | 3014468 | 12673 | 0.0042 |
| 15 | Sep-18 | 661 | 21 | 3014468 | 13881 | 0.0046 |
| 16 | Sep-18 | 729 | 20 | 3014468 | 14580 | 0.0048 |
| 17 | Sep-18 | 672 | 22 | 3014468 | 14784 | 0.0049 |
| 18 | Sep-18 | 1137 | 13.55 | 3014468 | 15406 | 0.0051 |
| 19 | Sep-18 | 921 | 20 | 3014468 | 18420 | 0.0061 |
| 20 | Sep-18 | 974 | 19.87 | 3014468 | 19353 | 0.0064 |
| 21 | Sep-18 | 1140 | 19 | 3014468 | 21660 | 0.0072 |
| 22 | Sep-18 | 2218 | 9.86 | 3014468 | 21869 | 0.0073 |
| 23 | Sep-18 | 1088 | 20.34 | 3014468 | 22130 | 0.0073 |
| 24 | Sep-18 | 672 | 33 | 3014468 | 22176 | 0.0074 |
| 25 | Sep-18 | 1678 | 15 | 3014468 | 25170 | 0.0083 |
| 26 | Sep-18 | 2204 | 11.45 | 3014468 | 25236 | 0.0084 |
| 27 | Sep-18 | 1769 | 15.3 | 3014468 | 27066 | 0.0090 |
| 28 | Sep-18 | 991 | 30.44 | 3014468 | 30166 | 0.0100 |
| 29 | Sep-18 | 1539 | 21.92 | 3014468 | 33735 | 0.0112 |
| 30 | Sep-18 | 588 | 58.98 | 3014468 | 34680 | 0.0115 |
| 31 | Sep-18 | 5943 | 6 | 3014468 | 35658 | 0.0118 |
| 32 | Sep-18 | 2260 | 16 | 3014468 | 36160 | 0.0120 |
| 33 | Sep-18 | 2693 | 15.94 | 3014468 | 42926 | 0.0142 |
| 34 | Sep-18 | 1497 | 28.91 | 3014468 | 43278 | 0.0144 |
| 35 | Sep-18 | 3433 | 13 | 3014468 | 44629 | 0.0148 |
| 36 | Sep-18 | 1871 | 27.56 | 3014468 | 51565 | 0.0171 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| 37 | Sep-18 | 2823 | 18.64 | 3014468 | 52621 | 0.0175 |
| 38 | Sep-18 | 1633 | 32.24 | 3014468 | 52648 | 0.0175 |
| 39 | Sep-18 | 3433 | 17 | 3014468 | 58361 | 0.0194 |
| 40 | Sep-18 | 1843 | 35.01 | 3014468 | 64523 | 0.0214 |
| 41 | Sep-18 | 4227 | 17.02 | 3014468 | 71944 | 0.0239 |
| 42 | Sep-18 | 5294 | 13.66 | 3014468 | 72316 | 0.0240 |
| 43 | Sep-18 | 1402 | 56.78 | 3014468 | 79606 | 0.0264 |
| 44 | Sep-18 | 2345 | 36.02 | 3014468 | 84467 | 0.0280 |
| 45 | Sep-18 | 1818 | 51 | 3014468 | 92718 | 0.0308 |
| 46 | Sep-18 | 5151 | 18 | 3014468 | 92718 | 0.0308 |
| 47 | Sep-18 | 4862 | 20.09 | 3014468 | 97678 | 0.0324 |
| 48 | Sep-18 | 1457 | 68.84 | 3014468 | 100300 | 0.0333 |
| 49 | Sep-18 | 4952 | 20.31 | 3014468 | 100575 | 0.0334 |
| 50 | Sep-18 | 3007 | 35.59 | 3014468 | 107019 | 0.0355 |
| 51 | Sep-18 | 2393 | 47.17 | 3014468 | 112878 | 0.0374 |
| 52 | Sep-18 | 3293 | 37.34 | 3014468 | 122961 | 0.0408 |
| 53 | Sep-18 | 6193 | 21.22 | 3014468 | 131415 | 0.0436 |
| 54 | Sep-18 | 7508 | 19.72 | 3014468 | 148058 | 0.0491 |
| 55 | Sep-18 | 3940 | 41 | 3014468 | 161540 | 0.0536 |
| 56 | Sep-18 | 5451 | 30.01 | 3014468 | 163585 | 0.0543 |
| 57 | Sep-18 | 8262 | 19.87 | 3014468 | 164166 | 0.0545 |
| 58 | Sep-18 | 5375 | 34.13 | 3014468 | 183449 | 0.0609 |
| 59 | Sep-18 | 6935 | 26.96 | 3014468 | 186968 | 0.0620 |
| 60 | Sep-18 | 5084 | 38.31 | 3014468 | 194768 | 0.0646 |
| 61 | Sep-18 | 4613 | 43.98 | 3014468 | 202880 | 0.0673 |
| 62 | Sep-18 | 8445 | 24.96 | 3014468 | 210787 | 0.0699 |
| 63 | Sep-18 | 6047 | 37.03 | 3014468 | 223920 | 0.0743 |
| 64 | Sep-18 | 1245 | 552.18 | 3014468 | 687464 | 0.2281 |
| 65 | Sep-18 | 3548 | 249.52 | 3014468 | 885297 | 0.2937 |
| 66 | Sep-18 | 3 | 53 | 3014468 | 159 | 0.0001 |
| 67 | Sep-18 | 357 | 13 | 3014468 | 4641 | 0.0015 |
| 68 | Sep-18 | 1456 | 14.33 | 3014468 | 20864 | 0.0069 |
| 69 | Sep-18 | 1540 | 33.99 | 3014468 | 52345 | 0.0174 |
| 70 | Sep-18 | 4171 | 13.1 | 3014468 | 54640 | 0.0181 |
| 71 | Sep-18 | 1675 | 36.65 | 3014468 | 61389 | 0.0204 |
| 72 | Sep-18 | 2614 | 32 | 3014468 | 83648 | 0.0277 |
| 73 | Sep-18 | 4971 | 17.53 | 3014468 | 87142 | 0.0289 |
| 74 | Sep-18 | 403 | 235.2 | 3014468 | 94786 | 0.0314 |
| 75 | Sep-18 | 4047 | 39.28 | 3014468 | 158966 | 0.0527 |
| 76 | Sep-18 | 1013 | 202 | 3014468 | 204626 | 0.0679 |
| 77 | Sep-18 | 1169 | 557 | 3014468 | 651133 | 0.2160 |
| 78 | Sep-18 | 26 | 6.62 | 3014468 | 172 | 0.0001 |
| 79 | Sep-18 | 29 | 18 | 3014468 | 522 | 0.0002 |
| 80 | Sep-18 | 524 | 35 | 3014468 | 18340 | 0.0061 |
| 81 | Sep-18 | 990 | 27.33 | 3014468 | 27057 | 0.0090 |
| 82 | Sep-18 | 1897 | 18 | 3014468 | 34146 | 0.0113 |
| 83 | Sep-18 | 3907 | 39.23 | 3014468 | 153272 | 0.0508 |
| 84 | Sep-18 | 4862 | 36.14 | 3014468 | 175713 | 0.0583 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Ri = Restoration time for each interruption event on ith feeder | Nt = Total number of consumers of the distribution Licensees area | Sum(Ri*Ni) for all feeders (excluding agri. Feeders) | SAIDI = (6)/(5)(In minutes) |
|--------|--------|---|---|---|--|-----------------------------|
| 85 | Sep-18 | 1 | 10.8 | 3014468 | 11 | 0.0000 |
| 86 | Sep-18 | 5696 | 109.35 | 3014468 | 622858 | 0.2066 |
| Total | | 205092 | 39.55 | 3014468 | 8111228 | 2.6908 |

Remark :

- 1 Customer served by Rinfra are 3014468 nos.
- 2 Number of feeders are 1167 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(2) System Average Interruption Frequency Index (SAIFI)

Name of Distribution Licensee: Adani Electricity Mumbai Limited
Period: July 2018 to Sept-2018

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Sum of consumers of i feeders which had experienced interruptions = Sum Ni | Nt = Total number of consumers of the distribution Licensees area | SAIFI = (4) / (5) (Events) |
|--------|--------|---|--|---|----------------------------|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 1 | Jul-18 | 1 | 1 | 3013966 | 0.0000 |
| 2 | Jul-18 | 36 | 36 | 3013966 | 0.0000 |
| 3 | Jul-18 | 172 | 172 | 3013966 | 0.0001 |
| 4 | Jul-18 | 163 | 163 | 3013966 | 0.0001 |
| 5 | Jul-18 | 257 | 257 | 3013966 | 0.0001 |
| 6 | Jul-18 | 211 | 211 | 3013966 | 0.0001 |
| 7 | Jul-18 | 290 | 290 | 3013966 | 0.0001 |
| 8 | Jul-18 | 392 | 392 | 3013966 | 0.0001 |
| 9 | Jul-18 | 257 | 257 | 3013966 | 0.0001 |
| 10 | Jul-18 | 425 | 425 | 3013966 | 0.0001 |
| 11 | Jul-18 | 374 | 374 | 3013966 | 0.0001 |
| 12 | Jul-18 | 392 | 392 | 3013966 | 0.0001 |
| 13 | Jul-18 | 902 | 902 | 3013966 | 0.0003 |
| 14 | Jul-18 | 1523 | 1523 | 3013966 | 0.0005 |
| 15 | Jul-18 | 594 | 594 | 3013966 | 0.0002 |
| 16 | Jul-18 | 1047 | 1047 | 3013966 | 0.0003 |
| 17 | Jul-18 | 446 | 446 | 3013966 | 0.0001 |
| 18 | Jul-18 | 1312 | 1312 | 3013966 | 0.0004 |
| 19 | Jul-18 | 1064 | 1064 | 3013966 | 0.0004 |
| 20 | Jul-18 | 1291 | 1291 | 3013966 | 0.0004 |
| 21 | Jul-18 | 1037 | 1037 | 3013966 | 0.0003 |
| 22 | Jul-18 | 3700 | 3700 | 3013966 | 0.0012 |
| 23 | Jul-18 | 1316 | 1316 | 3013966 | 0.0004 |
| 24 | Jul-18 | 2863 | 2863 | 3013966 | 0.0009 |
| 25 | Jul-18 | 1263 | 1263 | 3013966 | 0.0004 |
| 26 | Jul-18 | 585 | 585 | 3013966 | 0.0002 |
| 27 | Jul-18 | 1438 | 1438 | 3013966 | 0.0005 |
| 28 | Jul-18 | 761 | 761 | 3013966 | 0.0003 |
| 29 | Jul-18 | 1261 | 1261 | 3013966 | 0.0004 |
| 30 | Jul-18 | 863 | 863 | 3013966 | 0.0003 |
| 31 | Jul-18 | 1203 | 1203 | 3013966 | 0.0004 |
| 32 | Jul-18 | 771 | 771 | 3013966 | 0.0003 |
| 33 | Jul-18 | 1678 | 1678 | 3013966 | 0.0006 |
| 34 | Jul-18 | 804 | 804 | 3013966 | 0.0003 |
| 35 | Jul-18 | 2050 | 2050 | 3013966 | 0.0007 |
| 36 | Jul-18 | 1380 | 1380 | 3013966 | 0.0005 |
| 37 | Jul-18 | 2221 | 2221 | 3013966 | 0.0007 |
| 38 | Jul-18 | 2076 | 2076 | 3013966 | 0.0007 |
| 39 | Jul-18 | 2169 | 2169 | 3013966 | 0.0007 |
| 40 | Jul-18 | 1384 | 1384 | 3013966 | 0.0005 |
| 41 | Jul-18 | 1497 | 1497 | 3013966 | 0.0005 |
| 42 | Jul-18 | 3077 | 3077 | 3013966 | 0.0010 |
| 43 | Jul-18 | 1767 | 1767 | 3013966 | 0.0006 |
| 44 | Jul-18 | 2944 | 2944 | 3013966 | 0.0010 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Sum of consumers of i feeders which had experienced interruptions = Sum Ni | Nt = Total number of consumers of the distribution Licensees area | SAIFI = (4) / (5) (Events) |
|--------|--------|---|--|---|----------------------------|
| 45 | Jul-18 | 1993 | 1993 | 3013966 | 0.0007 |
| 46 | Jul-18 | 2985 | 2985 | 3013966 | 0.0010 |
| 47 | Jul-18 | 2135 | 2135 | 3013966 | 0.0007 |
| 48 | Jul-18 | 5375 | 5375 | 3013966 | 0.0018 |
| 49 | Jul-18 | 3263 | 3263 | 3013966 | 0.0011 |
| 50 | Jul-18 | 5375 | 5375 | 3013966 | 0.0018 |
| 51 | Jul-18 | 5609 | 5609 | 3013966 | 0.0019 |
| 52 | Jul-18 | 5033 | 5033 | 3013966 | 0.0017 |
| 53 | Jul-18 | 1897 | 1897 | 3013966 | 0.0006 |
| 54 | Jul-18 | 5997 | 5997 | 3013966 | 0.0020 |
| 55 | Jul-18 | 5177 | 5177 | 3013966 | 0.0017 |
| 56 | Jul-18 | 3818 | 3818 | 3013966 | 0.0013 |
| 57 | Jul-18 | 4091 | 4091 | 3013966 | 0.0014 |
| 58 | Jul-18 | 4527 | 4527 | 3013966 | 0.0015 |
| 59 | Jul-18 | 6124 | 6124 | 3013966 | 0.0020 |
| 60 | Jul-18 | 8290 | 8290 | 3013966 | 0.0028 |
| 61 | Jul-18 | 7780 | 7780 | 3013966 | 0.0026 |
| 62 | Jul-18 | 23213 | 23213 | 3013966 | 0.0077 |
| 63 | Jul-18 | 88 | 88 | 3013966 | 0.0000 |
| 64 | Jul-18 | 35 | 35 | 3013966 | 0.0000 |
| 65 | Jul-18 | 418 | 418 | 3013966 | 0.0001 |
| 66 | Jul-18 | 1461 | 1461 | 3013966 | 0.0005 |
| 67 | Jul-18 | 2771 | 2771 | 3013966 | 0.0009 |
| 68 | Jul-18 | 1093 | 1093 | 3013966 | 0.0004 |
| 69 | Jul-18 | 489 | 489 | 3013966 | 0.0002 |
| 70 | Jul-18 | 1202 | 1202 | 3013966 | 0.0004 |
| 71 | Jul-18 | 6408 | 6408 | 3013966 | 0.0021 |
| 72 | Jul-18 | 4508 | 4508 | 3013966 | 0.0015 |
| 73 | Jul-18 | 2910 | 2910 | 3013966 | 0.0010 |
| 74 | Jul-18 | 1530 | 1530 | 3013966 | 0.0005 |
| 75 | Jul-18 | 6189 | 6189 | 3013966 | 0.0021 |
| 76 | Jul-18 | 4687 | 4687 | 3013966 | 0.0016 |
| 77 | Jul-18 | 4572 | 4572 | 3013966 | 0.0015 |
| 78 | Jul-18 | 290 | 290 | 3013966 | 0.0001 |
| 79 | Jul-18 | 2794 | 2794 | 3013966 | 0.0009 |
| 80 | Jul-18 | 1756 | 1756 | 3013966 | 0.0006 |
| 81 | Jul-18 | 5109 | 5109 | 3013966 | 0.0017 |
| 82 | Jul-18 | 4586 | 4586 | 3013966 | 0.0015 |
| 83 | Jul-18 | 9733 | 9733 | 3013966 | 0.0032 |
| Total | | 216568 | 216568 | 3013966 | 0.0719 |

Remark :

- 1 Customer served by Rinfra are 3013966 nos.
- 2 Number of feeders are 1164 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(2) System Average Interruption Frequency Index (SAIFI)

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Sum of consumers of i feeders which had experienced interruptions = Sum Ni | Nt = Total number of consumers of the distribution Licensees area | SAIFI = (4) / (5) (Events) |
|--------|--------|---|--|---|-------------------------------|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 1 | Aug-18 | 70 | 70 | 3015065 | 0.0000 |
| 2 | Aug-18 | 260 | 260 | 3015065 | 0.0001 |
| 3 | Aug-18 | 177 | 177 | 3015065 | 0.0001 |
| 4 | Aug-18 | 229 | 229 | 3015065 | 0.0001 |
| 5 | Aug-18 | 586 | 586 | 3015065 | 0.0002 |
| 6 | Aug-18 | 471 | 471 | 3015065 | 0.0002 |
| 7 | Aug-18 | 1274 | 1274 | 3015065 | 0.0004 |
| 8 | Aug-18 | 876 | 876 | 3015065 | 0.0003 |
| 9 | Aug-18 | 2171 | 2171 | 3015065 | 0.0007 |
| 10 | Aug-18 | 1901 | 1901 | 3015065 | 0.0006 |
| 11 | Aug-18 | 765 | 765 | 3015065 | 0.0003 |
| 12 | Aug-18 | 2228 | 2228 | 3015065 | 0.0007 |
| 13 | Aug-18 | 1655 | 1655 | 3015065 | 0.0005 |
| 14 | Aug-18 | 2191 | 2191 | 3015065 | 0.0007 |
| 15 | Aug-18 | 1818 | 1818 | 3015065 | 0.0006 |
| 16 | Aug-18 | 2362 | 2362 | 3015065 | 0.0008 |
| 17 | Aug-18 | 1091 | 1091 | 3015065 | 0.0004 |
| 18 | Aug-18 | 2394 | 2394 | 3015065 | 0.0008 |
| 19 | Aug-18 | 2191 | 2191 | 3015065 | 0.0007 |
| 20 | Aug-18 | 6089 | 6089 | 3015065 | 0.0020 |
| 21 | Aug-18 | 2862 | 2862 | 3015065 | 0.0009 |
| 22 | Aug-18 | 1979 | 1979 | 3015065 | 0.0007 |
| 23 | Aug-18 | 4207 | 4207 | 3015065 | 0.0014 |
| 24 | Aug-18 | 2191 | 2191 | 3015065 | 0.0007 |
| 25 | Aug-18 | 2718 | 2718 | 3015065 | 0.0009 |
| 26 | Aug-18 | 2544 | 2544 | 3015065 | 0.0008 |
| 27 | Aug-18 | 3634 | 3634 | 3015065 | 0.0012 |
| 28 | Aug-18 | 3050 | 3050 | 3015065 | 0.0010 |
| 29 | Aug-18 | 4028 | 4028 | 3015065 | 0.0013 |
| 30 | Aug-18 | 8129 | 8129 | 3015065 | 0.0027 |
| 31 | Aug-18 | 31037 | 31037 | 3015065 | 0.0103 |
| 32 | Aug-18 | 6420 | 6420 | 3015065 | 0.0021 |
| 33 | Aug-18 | 2222 | 2222 | 3015065 | 0.0007 |
| 34 | Aug-18 | 11832 | 11832 | 3015065 | 0.0039 |
| 35 | Aug-18 | 7331 | 7331 | 3015065 | 0.0024 |
| 36 | Aug-18 | 24 | 24 | 3015065 | 0.0000 |
| 37 | Aug-18 | 1416 | 1416 | 3015065 | 0.0005 |
| 38 | Aug-18 | 4290 | 4290 | 3015065 | 0.0014 |
| 39 | Aug-18 | 5452 | 5452 | 3015065 | 0.0018 |
| 40 | Aug-18 | 3019 | 3019 | 3015065 | 0.0010 |
| 41 | Aug-18 | 2538 | 2538 | 3015065 | 0.0008 |
| 42 | Aug-18 | 4 | 4 | 3015065 | 0.0000 |
| 43 | Aug-18 | 781 | 781 | 3015065 | 0.0003 |
| 44 | Aug-18 | 7799 | 7799 | 3015065 | 0.0026 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Sum of consumers of i feeders which had experienced interruptions = Sum Ni | Nt = Total number of consumers of the distribution Licensees area | SAIFI = (4) / (5) (Events) |
|--------|--------|---|--|---|----------------------------|
| 45 | Aug-18 | 480 | 480 | 3015065 | 0.0002 |
| 46 | Aug-18 | 536 | 536 | 3015065 | 0.0002 |
| 47 | Aug-18 | 536 | 536 | 3015065 | 0.0002 |
| 48 | Aug-18 | 1598 | 1598 | 3015065 | 0.0005 |
| 49 | Aug-18 | 2168 | 2168 | 3015065 | 0.0007 |
| 50 | Aug-18 | 2544 | 2544 | 3015065 | 0.0008 |
| 51 | Aug-18 | 2862 | 2862 | 3015065 | 0.0009 |
| Total | | 161030 | 161030 | 3015065 | 0.0534 |

Remark :

- 1 Customer served by Rinfra are 3015065 nos.
- 2 Number of feeders are 1167 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(2) System Average Interruption Frequency Index (SAIFI)

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Sum of consumers of i feeders which had experienced interruptions = Sum Ni | Nt = Total number of consumers of the distribution Licensees area | SAIFI = (4) / (5) (Events) |
|--------|--------|---|--|---|----------------------------|
| (1) | (2) | (3) | (4) | (5) | (6) |
| 1 | Sep-18 | 1 | 1 | 3014468 | 0.0000 |
| 2 | Sep-18 | 4 | 4 | 3014468 | 0.0000 |
| 3 | Sep-18 | 22 | 22 | 3014468 | 0.0000 |
| 4 | Sep-18 | 18 | 18 | 3014468 | 0.0000 |
| 5 | Sep-18 | 32 | 32 | 3014468 | 0.0000 |
| 6 | Sep-18 | 343 | 343 | 3014468 | 0.0001 |
| 7 | Sep-18 | 257 | 257 | 3014468 | 0.0001 |
| 8 | Sep-18 | 276 | 276 | 3014468 | 0.0001 |
| 9 | Sep-18 | 536 | 536 | 3014468 | 0.0002 |
| 10 | Sep-18 | 727 | 727 | 3014468 | 0.0002 |
| 11 | Sep-18 | 353 | 353 | 3014468 | 0.0001 |
| 12 | Sep-18 | 672 | 672 | 3014468 | 0.0002 |
| 13 | Sep-18 | 576 | 576 | 3014468 | 0.0002 |
| 14 | Sep-18 | 667 | 667 | 3014468 | 0.0002 |
| 15 | Sep-18 | 661 | 661 | 3014468 | 0.0002 |
| 16 | Sep-18 | 729 | 729 | 3014468 | 0.0002 |
| 17 | Sep-18 | 672 | 672 | 3014468 | 0.0002 |
| 18 | Sep-18 | 1137 | 1137 | 3014468 | 0.0004 |
| 19 | Sep-18 | 921 | 921 | 3014468 | 0.0003 |
| 20 | Sep-18 | 974 | 974 | 3014468 | 0.0003 |
| 21 | Sep-18 | 1140 | 1140 | 3014468 | 0.0004 |
| 22 | Sep-18 | 2218 | 2218 | 3014468 | 0.0007 |
| 23 | Sep-18 | 1088 | 1088 | 3014468 | 0.0004 |
| 24 | Sep-18 | 672 | 672 | 3014468 | 0.0002 |
| 25 | Sep-18 | 1678 | 1678 | 3014468 | 0.0006 |
| 26 | Sep-18 | 2204 | 2204 | 3014468 | 0.0007 |
| 27 | Sep-18 | 1769 | 1769 | 3014468 | 0.0006 |
| 28 | Sep-18 | 991 | 991 | 3014468 | 0.0003 |
| 29 | Sep-18 | 1539 | 1539 | 3014468 | 0.0005 |
| 30 | Sep-18 | 588 | 588 | 3014468 | 0.0002 |
| 31 | Sep-18 | 5943 | 5943 | 3014468 | 0.0020 |
| 32 | Sep-18 | 2260 | 2260 | 3014468 | 0.0007 |
| 33 | Sep-18 | 2693 | 2693 | 3014468 | 0.0009 |
| 34 | Sep-18 | 1497 | 1497 | 3014468 | 0.0005 |
| 35 | Sep-18 | 3433 | 3433 | 3014468 | 0.0011 |
| 36 | Sep-18 | 1871 | 1871 | 3014468 | 0.0006 |
| 37 | Sep-18 | 2823 | 2823 | 3014468 | 0.0009 |
| 38 | Sep-18 | 1633 | 1633 | 3014468 | 0.0005 |
| 39 | Sep-18 | 3433 | 3433 | 3014468 | 0.0011 |
| 40 | Sep-18 | 1843 | 1843 | 3014468 | 0.0006 |
| 41 | Sep-18 | 4227 | 4227 | 3014468 | 0.0014 |
| 42 | Sep-18 | 5294 | 5294 | 3014468 | 0.0018 |
| 43 | Sep-18 | 1402 | 1402 | 3014468 | 0.0005 |
| 44 | Sep-18 | 2345 | 2345 | 3014468 | 0.0008 |

| Sr.No. | Month | Ni = Number of consumers who experienced a sustained interruption on ith feeder | Sum of consumers of i feeders which had experienced interruptions = Sum Ni | Nt = Total number of consumers of the distribution Licensees area | SAIFI = (4) / (5) (Events) |
|--------|--------|---|--|---|----------------------------|
| 45 | Sep-18 | 1818 | 1818 | 3014468 | 0.0006 |
| 46 | Sep-18 | 5151 | 5151 | 3014468 | 0.0017 |
| 47 | Sep-18 | 4862 | 4862 | 3014468 | 0.0016 |
| 48 | Sep-18 | 1457 | 1457 | 3014468 | 0.0005 |
| 49 | Sep-18 | 4952 | 4952 | 3014468 | 0.0016 |
| 50 | Sep-18 | 3007 | 3007 | 3014468 | 0.0010 |
| 51 | Sep-18 | 2393 | 2393 | 3014468 | 0.0008 |
| 52 | Sep-18 | 3293 | 3293 | 3014468 | 0.0011 |
| 53 | Sep-18 | 6193 | 6193 | 3014468 | 0.0021 |
| 54 | Sep-18 | 7508 | 7508 | 3014468 | 0.0025 |
| 55 | Sep-18 | 3940 | 3940 | 3014468 | 0.0013 |
| 56 | Sep-18 | 5451 | 5451 | 3014468 | 0.0018 |
| 57 | Sep-18 | 8262 | 8262 | 3014468 | 0.0027 |
| 58 | Sep-18 | 5375 | 5375 | 3014468 | 0.0018 |
| 59 | Sep-18 | 6935 | 6935 | 3014468 | 0.0023 |
| 60 | Sep-18 | 5084 | 5084 | 3014468 | 0.0017 |
| 61 | Sep-18 | 4613 | 4613 | 3014468 | 0.0015 |
| 62 | Sep-18 | 8445 | 8445 | 3014468 | 0.0028 |
| 63 | Sep-18 | 6047 | 6047 | 3014468 | 0.0020 |
| 64 | Sep-18 | 1245 | 1245 | 3014468 | 0.0004 |
| 65 | Sep-18 | 3548 | 3548 | 3014468 | 0.0012 |
| 66 | Sep-18 | 3 | 3 | 3014468 | 0.0000 |
| 67 | Sep-18 | 357 | 357 | 3014468 | 0.0001 |
| 68 | Sep-18 | 1456 | 1456 | 3014468 | 0.0005 |
| 69 | Sep-18 | 1540 | 1540 | 3014468 | 0.0005 |
| 70 | Sep-18 | 4171 | 4171 | 3014468 | 0.0014 |
| 71 | Sep-18 | 1675 | 1675 | 3014468 | 0.0006 |
| 72 | Sep-18 | 2614 | 2614 | 3014468 | 0.0009 |
| 73 | Sep-18 | 4971 | 4971 | 3014468 | 0.0016 |
| 74 | Sep-18 | 403 | 403 | 3014468 | 0.0001 |
| 75 | Sep-18 | 4047 | 4047 | 3014468 | 0.0013 |
| 76 | Sep-18 | 1013 | 1013 | 3014468 | 0.0003 |
| 77 | Sep-18 | 1169 | 1169 | 3014468 | 0.0004 |
| 78 | Sep-18 | 26 | 26 | 3014468 | 0.0000 |
| 79 | Sep-18 | 29 | 29 | 3014468 | 0.0000 |
| 80 | Sep-18 | 524 | 524 | 3014468 | 0.0002 |
| 81 | Sep-18 | 990 | 990 | 3014468 | 0.0003 |
| 82 | Sep-18 | 1897 | 1897 | 3014468 | 0.0006 |
| 83 | Sep-18 | 3907 | 3907 | 3014468 | 0.0013 |
| 84 | Sep-18 | 4862 | 4862 | 3014468 | 0.0016 |
| 85 | Sep-18 | 1 | 1 | 3014468 | 0.0000 |
| 86 | Sep-18 | 5696 | 5696 | 3014468 | 0.0019 |
| Total | | 205092 | 205092 | 3014468 | 0.0680 |

Remark :

- 1 Customer served by Rinfra are 3014468 nos.
- 2 Number of feeders are 1167 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(3) Customer Average Interruption Duration Index (CAIDI)

Name of Distribution Licensee: Adani Electricity Mumbai Limited
Period: July 2018 to Sept-2018

| Sr.No. | Month | SAIDI | SAIFI | SAIDI/SAIFI (CAIDI in Minutes) |
|--------|--------|--------|--------|--------------------------------|
| (1) | (2) | (3) | (4) | (5) |
| 1 | Jul-18 | 0.0000 | 0.0000 | 21 |
| 2 | Jul-18 | 0.0002 | 0.0000 | 20 |
| 3 | Jul-18 | 0.0004 | 0.0001 | 6.2 |
| 4 | Jul-18 | 0.0005 | 0.0001 | 10 |
| 5 | Jul-18 | 0.0012 | 0.0001 | 13.5 |
| 6 | Jul-18 | 0.0014 | 0.0001 | 20 |
| 7 | Jul-18 | 0.0017 | 0.0001 | 18 |
| 8 | Jul-18 | 0.0020 | 0.0001 | 15 |
| 9 | Jul-18 | 0.0028 | 0.0001 | 32.74 |
| 10 | Jul-18 | 0.0030 | 0.0001 | 21 |
| 11 | Jul-18 | 0.0030 | 0.0001 | 23.87 |
| 12 | Jul-18 | 0.0037 | 0.0001 | 28.44 |
| 13 | Jul-18 | 0.0051 | 0.0003 | 17 |
| 14 | Jul-18 | 0.0052 | 0.0005 | 10.27 |
| 15 | Jul-18 | 0.0055 | 0.0002 | 28.03 |
| 16 | Jul-18 | 0.0060 | 0.0003 | 17.32 |
| 17 | Jul-18 | 0.0062 | 0.0001 | 41.69 |
| 18 | Jul-18 | 0.0069 | 0.0004 | 15.93 |
| 19 | Jul-18 | 0.0071 | 0.0004 | 20 |
| 20 | Jul-18 | 0.0072 | 0.0004 | 16.7 |
| 21 | Jul-18 | 0.0073 | 0.0003 | 21.22 |
| 22 | Jul-18 | 0.0074 | 0.0012 | 6 |
| 23 | Jul-18 | 0.0079 | 0.0004 | 18 |
| 24 | Jul-18 | 0.0084 | 0.0009 | 8.8 |
| 25 | Jul-18 | 0.0084 | 0.0004 | 20 |
| 26 | Jul-18 | 0.0084 | 0.0002 | 43.29 |
| 27 | Jul-18 | 0.0087 | 0.0005 | 18.27 |
| 28 | Jul-18 | 0.0093 | 0.0003 | 37 |
| 29 | Jul-18 | 0.0094 | 0.0004 | 22.42 |
| 30 | Jul-18 | 0.0094 | 0.0003 | 33 |
| 31 | Jul-18 | 0.0096 | 0.0004 | 24 |
| 32 | Jul-18 | 0.0100 | 0.0003 | 39.02 |
| 33 | Jul-18 | 0.0107 | 0.0006 | 19.3 |
| 34 | Jul-18 | 0.0109 | 0.0003 | 40.99 |
| 35 | Jul-18 | 0.0114 | 0.0007 | 16.77 |
| 36 | Jul-18 | 0.0118 | 0.0005 | 25.88 |
| 37 | Jul-18 | 0.0147 | 0.0007 | 20 |
| 38 | Jul-18 | 0.0149 | 0.0007 | 21.62 |
| 39 | Jul-18 | 0.0158 | 0.0007 | 22 |
| 40 | Jul-18 | 0.0160 | 0.0005 | 34.87 |
| 41 | Jul-18 | 0.0174 | 0.0005 | 35.06 |
| 42 | Jul-18 | 0.0184 | 0.0010 | 18.06 |
| 43 | Jul-18 | 0.0207 | 0.0006 | 35.3 |
| 44 | Jul-18 | 0.0215 | 0.0010 | 22 |
| 45 | Jul-18 | 0.0225 | 0.0007 | 34.05 |
| 46 | Jul-18 | 0.0235 | 0.0010 | 23.75 |
| 47 | Jul-18 | 0.0256 | 0.0007 | 36.09 |
| 48 | Jul-18 | 0.0328 | 0.0018 | 18.4 |
| 49 | Jul-18 | 0.0378 | 0.0011 | 34.89 |
| 50 | Jul-18 | 0.0379 | 0.0018 | 21.26 |

| Sr.No. | Month | SAIDI | SAIFI | SAIDI/SAIFI (CAIDI in Minutes) |
|--------|--------|--------|--------|--------------------------------|
| 51 | Jul-18 | 0.0398 | 0.0019 | 21.39 |
| 52 | Jul-18 | 0.0437 | 0.0017 | 26.16 |
| 53 | Jul-18 | 0.0471 | 0.0006 | 74.8 |
| 54 | Jul-18 | 0.0498 | 0.0020 | 25.05 |
| 55 | Jul-18 | 0.0510 | 0.0017 | 29.7 |
| 56 | Jul-18 | 0.0525 | 0.0013 | 41.41 |
| 57 | Jul-18 | 0.0529 | 0.0014 | 39 |
| 58 | Jul-18 | 0.0634 | 0.0015 | 42.21 |
| 59 | Jul-18 | 0.0781 | 0.0020 | 38.43 |
| 60 | Jul-18 | 0.0853 | 0.0028 | 31 |
| 61 | Jul-18 | 0.1031 | 0.0026 | 39.93 |
| 62 | Jul-18 | 0.1935 | 0.0077 | 25.12 |
| 63 | Jul-18 | 0.0005 | 0.0000 | 18 |
| 64 | Jul-18 | 0.0006 | 0.0000 | 52.42 |
| 65 | Jul-18 | 0.0083 | 0.0001 | 59.51 |
| 66 | Jul-18 | 0.0090 | 0.0005 | 18.62 |
| 67 | Jul-18 | 0.0117 | 0.0009 | 12.69 |
| 68 | Jul-18 | 0.0147 | 0.0004 | 40.65 |
| 69 | Jul-18 | 0.0167 | 0.0002 | 103.2 |
| 70 | Jul-18 | 0.0247 | 0.0004 | 61.91 |
| 71 | Jul-18 | 0.0514 | 0.0021 | 24.16 |
| 72 | Jul-18 | 0.0514 | 0.0015 | 34.36 |
| 73 | Jul-18 | 0.0737 | 0.0010 | 76.31 |
| 74 | Jul-18 | 0.0123 | 0.0005 | 24.24 |
| 75 | Jul-18 | 0.0211 | 0.0021 | 10.28 |
| 76 | Jul-18 | 0.0545 | 0.0016 | 35.07 |
| 77 | Jul-18 | 0.0743 | 0.0015 | 49 |
| 78 | Jul-18 | 0.0028 | 0.0001 | 29 |
| 79 | Jul-18 | 0.0065 | 0.0009 | 7 |
| 80 | Jul-18 | 0.0150 | 0.0006 | 25.77 |
| 81 | Jul-18 | 0.0153 | 0.0017 | 9 |
| 82 | Jul-18 | 0.0365 | 0.0015 | 24 |
| 83 | Jul-18 | 0.0458 | 0.0032 | 14.18 |
| Total | | 1.94 | 0.07 | 27.06 |

Remark :

- 1 Customer served by Rinfra are 3013966 nos.
- 2 Number of feeders are 1164 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(3) Customer Average Interruption Duration Index (CAIDI)

| Sr.No. | Month | SAIDI | SAIFI | SAIDI/SAIFI (CAIDI in Minutes) |
|--------|--------|--------|--------|--------------------------------|
| (1) | (2) | (3) | (4) | (5) |
| 1 | Aug-18 | 0.0004 | 0.0000 | 15.4 |
| 2 | Aug-18 | 0.0013 | 0.0001 | 14.88 |
| 3 | Aug-18 | 0.0013 | 0.0001 | 22 |
| 4 | Aug-18 | 0.0028 | 0.0001 | 36.53 |
| 5 | Aug-18 | 0.0035 | 0.0002 | 18 |
| 6 | Aug-18 | 0.0042 | 0.0002 | 27.01 |
| 7 | Aug-18 | 0.0055 | 0.0004 | 13.03 |
| 8 | Aug-18 | 0.0058 | 0.0003 | 20 |
| 9 | Aug-18 | 0.0094 | 0.0007 | 13 |
| 10 | Aug-18 | 0.0100 | 0.0006 | 15.92 |
| 11 | Aug-18 | 0.0110 | 0.0003 | 43.25 |
| 12 | Aug-18 | 0.0120 | 0.0007 | 16.18 |
| 13 | Aug-18 | 0.0148 | 0.0005 | 27 |
| 14 | Aug-18 | 0.0167 | 0.0007 | 23 |
| 15 | Aug-18 | 0.0178 | 0.0006 | 29.5 |
| 16 | Aug-18 | 0.0180 | 0.0008 | 22.95 |
| 17 | Aug-18 | 0.0181 | 0.0004 | 50.14 |
| 18 | Aug-18 | 0.0183 | 0.0008 | 23 |
| 19 | Aug-18 | 0.0203 | 0.0007 | 28 |
| 20 | Aug-18 | 0.0222 | 0.0020 | 11 |
| 21 | Aug-18 | 0.0226 | 0.0009 | 23.83 |
| 22 | Aug-18 | 0.0230 | 0.0007 | 35 |
| 23 | Aug-18 | 0.0251 | 0.0014 | 18 |
| 24 | Aug-18 | 0.0254 | 0.0007 | 35 |
| 25 | Aug-18 | 0.0307 | 0.0009 | 34 |
| 26 | Aug-18 | 0.0309 | 0.0008 | 36.66 |
| 27 | Aug-18 | 0.0328 | 0.0012 | 27.22 |
| 28 | Aug-18 | 0.0379 | 0.0010 | 37.48 |
| 29 | Aug-18 | 0.0391 | 0.0013 | 29.29 |
| 30 | Aug-18 | 0.0448 | 0.0027 | 16.62 |
| 31 | Aug-18 | 0.0618 | 0.0103 | 6 |
| 32 | Aug-18 | 0.0863 | 0.0021 | 40.51 |
| 33 | Aug-18 | 0.1076 | 0.0007 | 146 |
| 34 | Aug-18 | 0.1189 | 0.0039 | 30.3 |
| 35 | Aug-18 | 0.1867 | 0.0024 | 76.78 |
| 36 | Aug-18 | 0.0018 | 0.0000 | 231 |
| 37 | Aug-18 | 0.0220 | 0.0005 | 46.85 |
| 38 | Aug-18 | 0.0232 | 0.0014 | 16.32 |
| 39 | Aug-18 | 0.0521 | 0.0018 | 28.8 |
| 40 | Aug-18 | 0.0553 | 0.0010 | 55.27 |
| 41 | Aug-18 | 0.0643 | 0.0008 | 76.38 |
| 42 | Aug-18 | 0.0001 | 0.0000 | 46.8 |
| 43 | Aug-18 | 0.0061 | 0.0003 | 23.56 |
| 44 | Aug-18 | 0.0791 | 0.0026 | 30.58 |
| 45 | Aug-18 | 0.0011 | 0.0002 | 7 |
| 46 | Aug-18 | 0.0018 | 0.0002 | 10 |
| 47 | Aug-18 | 0.0032 | 0.0002 | 18 |
| 48 | Aug-18 | 0.0053 | 0.0005 | 10 |
| 49 | Aug-18 | 0.0058 | 0.0007 | 8 |
| 50 | Aug-18 | 0.0076 | 0.0008 | 9 |

| Sr.No. | Month | SAIDI | SAIFI | SAIDI/SAIFI (CAIDI in Minutes) |
|--------|--------|--------|--------|--------------------------------|
| 51 | Aug-18 | 0.0163 | 0.0009 | 17.15 |
| Total | | 1.43 | 0.05 | 26.81 |

Remark :

- 1 Customer served by Rinfra are 3015065 nos.
- 2 Number of feeders are 1167 Nos.

Annexure-IV
Performance Report regarding Reliability Indices

Formats for Quarterly returns to be submitted to the Commission by the Distribution Licensee
(3) Customer Average Interruption Duration Index (CAIDI)

| Sr.No. | Month | SAIDI | SAIFI | SAIDI/SAIFI (CAIDI in Minutes) |
|--------|--------|--------|--------|--------------------------------|
| (1) | (2) | (3) | (4) | (5) |
| 1 | Sep-18 | 0.0000 | 0.0000 | 24 |
| 2 | Sep-18 | 0.0000 | 0.0000 | 30.45 |
| 3 | Sep-18 | 0.0002 | 0.0000 | 24.22 |
| 4 | Sep-18 | 0.0002 | 0.0000 | 34 |
| 5 | Sep-18 | 0.0003 | 0.0000 | 24 |
| 6 | Sep-18 | 0.0009 | 0.0001 | 7.87 |
| 7 | Sep-18 | 0.0018 | 0.0001 | 21 |
| 8 | Sep-18 | 0.0018 | 0.0001 | 20 |
| 9 | Sep-18 | 0.0027 | 0.0002 | 15 |
| 10 | Sep-18 | 0.0036 | 0.0002 | 15 |
| 11 | Sep-18 | 0.0037 | 0.0001 | 32 |
| 12 | Sep-18 | 0.0038 | 0.0002 | 17.04 |
| 13 | Sep-18 | 0.0042 | 0.0002 | 21.88 |
| 14 | Sep-18 | 0.0042 | 0.0002 | 19 |
| 15 | Sep-18 | 0.0046 | 0.0002 | 21 |
| 16 | Sep-18 | 0.0048 | 0.0002 | 20 |
| 17 | Sep-18 | 0.0049 | 0.0002 | 22 |
| 18 | Sep-18 | 0.0051 | 0.0004 | 13.55 |
| 19 | Sep-18 | 0.0061 | 0.0003 | 20 |
| 20 | Sep-18 | 0.0064 | 0.0003 | 19.87 |
| 21 | Sep-18 | 0.0072 | 0.0004 | 19 |
| 22 | Sep-18 | 0.0073 | 0.0007 | 9.86 |
| 23 | Sep-18 | 0.0073 | 0.0004 | 20.34 |
| 24 | Sep-18 | 0.0074 | 0.0002 | 33 |
| 25 | Sep-18 | 0.0083 | 0.0006 | 15 |
| 26 | Sep-18 | 0.0084 | 0.0007 | 11.45 |
| 27 | Sep-18 | 0.0090 | 0.0006 | 15.3 |
| 28 | Sep-18 | 0.0100 | 0.0003 | 30.44 |
| 29 | Sep-18 | 0.0112 | 0.0005 | 21.92 |
| 30 | Sep-18 | 0.0115 | 0.0002 | 58.98 |
| 31 | Sep-18 | 0.0118 | 0.0020 | 6 |
| 32 | Sep-18 | 0.0120 | 0.0007 | 16 |
| 33 | Sep-18 | 0.0142 | 0.0009 | 15.94 |
| 34 | Sep-18 | 0.0144 | 0.0005 | 28.91 |
| 35 | Sep-18 | 0.0148 | 0.0011 | 13 |
| 36 | Sep-18 | 0.0171 | 0.0006 | 27.56 |
| 37 | Sep-18 | 0.0175 | 0.0009 | 18.64 |
| 38 | Sep-18 | 0.0175 | 0.0005 | 32.24 |
| 39 | Sep-18 | 0.0194 | 0.0011 | 17 |
| 40 | Sep-18 | 0.0214 | 0.0006 | 35.01 |
| 41 | Sep-18 | 0.0239 | 0.0014 | 17.02 |
| 42 | Sep-18 | 0.0240 | 0.0018 | 13.66 |
| 43 | Sep-18 | 0.0264 | 0.0005 | 56.78 |
| 44 | Sep-18 | 0.0280 | 0.0008 | 36.02 |
| 45 | Sep-18 | 0.0308 | 0.0006 | 51 |
| 46 | Sep-18 | 0.0308 | 0.0017 | 18 |
| 47 | Sep-18 | 0.0324 | 0.0016 | 20.09 |
| 48 | Sep-18 | 0.0333 | 0.0005 | 68.84 |
| 49 | Sep-18 | 0.0334 | 0.0016 | 20.31 |
| 50 | Sep-18 | 0.0355 | 0.0010 | 35.59 |

| Sr.No. | Month | SAIDI | SAIFI | SAIDI/SAIFI (CAIDI in Minutes) |
|--------|--------|--------|--------|--------------------------------|
| 51 | Sep-18 | 0.0374 | 0.0008 | 47.17 |
| 52 | Sep-18 | 0.0408 | 0.0011 | 37.34 |
| 53 | Sep-18 | 0.0436 | 0.0021 | 21.22 |
| 54 | Sep-18 | 0.0491 | 0.0025 | 19.72 |
| 55 | Sep-18 | 0.0536 | 0.0013 | 41 |
| 56 | Sep-18 | 0.0543 | 0.0018 | 30.01 |
| 57 | Sep-18 | 0.0545 | 0.0027 | 19.87 |
| 58 | Sep-18 | 0.0609 | 0.0018 | 34.13 |
| 59 | Sep-18 | 0.0620 | 0.0023 | 26.96 |
| 60 | Sep-18 | 0.0646 | 0.0017 | 38.31 |
| 61 | Sep-18 | 0.0673 | 0.0015 | 43.98 |
| 62 | Sep-18 | 0.0699 | 0.0028 | 24.96 |
| 63 | Sep-18 | 0.0743 | 0.0020 | 37.03 |
| 64 | Sep-18 | 0.2281 | 0.0004 | 552.18 |
| 65 | Sep-18 | 0.2937 | 0.0012 | 249.52 |
| 66 | Sep-18 | 0.0001 | 0.0000 | 53 |
| 67 | Sep-18 | 0.0015 | 0.0001 | 13 |
| 68 | Sep-18 | 0.0069 | 0.0005 | 14.33 |
| 69 | Sep-18 | 0.0174 | 0.0005 | 33.99 |
| 70 | Sep-18 | 0.0181 | 0.0014 | 13.1 |
| 71 | Sep-18 | 0.0204 | 0.0006 | 36.65 |
| 72 | Sep-18 | 0.0277 | 0.0009 | 32 |
| 73 | Sep-18 | 0.0289 | 0.0016 | 17.53 |
| 74 | Sep-18 | 0.0314 | 0.0001 | 235.2 |
| 75 | Sep-18 | 0.0527 | 0.0013 | 39.28 |
| 76 | Sep-18 | 0.0679 | 0.0003 | 202 |
| 77 | Sep-18 | 0.2160 | 0.0004 | 557 |
| 78 | Sep-18 | 0.0001 | 0.0000 | 6.62 |
| 79 | Sep-18 | 0.0002 | 0.0000 | 18 |
| 80 | Sep-18 | 0.0061 | 0.0002 | 35 |
| 81 | Sep-18 | 0.0090 | 0.0003 | 27.33 |
| 82 | Sep-18 | 0.0113 | 0.0006 | 18 |
| 83 | Sep-18 | 0.0508 | 0.0013 | 39.23 |
| 84 | Sep-18 | 0.0583 | 0.0016 | 36.14 |
| 85 | Sep-18 | 0.0000 | 0.0000 | 10.8 |
| 86 | Sep-18 | 0.2066 | 0.0019 | 109.35 |
| Total | | 2.6908 | 0.0680 | 39.55 |

Remark :

- 1 Customer served by Rinfrac are 3014468 nos.
- 2 Number of feeders are 1167 Nos.