




महाराष्ट्र विद्युत नियामक आयोग

Maharashtra Electricity Regulatory Commission



माहितीचा
अधिकार



एक कदम स्वच्छता की ओर

17th January, 2018

MERC/ADM/RTI/103/2017/0045

To,
Shri. Ashok Shah,
403, Ratnadeep Daulat Nagar,
Road No.5, Borivali (East),
Mumbai – 400 006.

Subject : Your application dated 15.12.2017 submitted under RTI Act 2005.

The office of the Commission is in receipt of your application dated 18.12.2017 under section 6 (1) RTI Act 2005 seeking information by the PIO.

No	Information Sought	Information Provide
1.	As per the Electricity Act 2003 & MERC Rules the height between the floor level and meter cabin should be by how much.	Information sought is nature of justification/clarification the PIO is not supposed to answer the justification/ clarification. However for your quires you may refer Schedule of Charges as per Maharashtra Electricity Regulatory Commission (Electricity Supply Code and Other Conditions of Supply) Regulations, 2005 has been approved by the commission vide order dated 28 December, 2012 in case No. 73 of 2012. which is available in downloadable format on Commission's websites www.merc.gov.in and www.mercindia.org.in
2.	If the Consumers applying for increase the height between meter box and floor level. Who will bear the expenses i.e. consumers of meter can in or the distribution Licensee Company?	Web link : http://mercindia.org.in/pdf/Order%2058%2042/Order_73_of_2012_28_Dec_2012.pdf Your application dated 13.11.2017 addressed to MERC is forwarded to the Director Reliance Infrastructure Ltd., on 24 th November, 2017 for further necessary action (Copy attached).

In case, if you are not satisfied with our reply, you may approach to Shri Anilkumar Ukey (Dy. Director-Legal), who is Appellate Authority, within thirty days from the receipt of the information as provided under section 19(1) of RTI Act 2005.

Yours faithfully,

(Pradeep Mohare)

Public Information Officer & Section Officer

१३वा मजला, केंद्र क्र. १, जागतिक व्यापार केंद्र, कफ परेड, कुलाबा, मुंबई - ४०० ००५.

13th Floor, Centre No. 1, World Trade Centre, Cuffe Parade, Colaba, Mumbai - 400 005.

Tel.: 022-2216 3964 / 2216 3965 / 2216 3969 Fax : 022-2216 3976

E-mail : mercindia@merc.gov.in / mercindia@mercindia.org.in Website : www.merc.gov.in / www.mercindia.org.in