

Reliance

Gas Transportation
Infrastructure Limited

CIN:U60300GJ1999PLC040064

MERC

Date 7/7/17

No. 6824

Executive Director
Dy Director (Balu Ugale)

Dated : 05.07.2017

To
The Secretary
Maharashtra Electricity Regulatory Commission
Mumbai.

Subject : Suo-motu proceedings for verification and compliance of Renewable Purchase obligation targets for FY 2010-11 to FY 2013-14 by obligated entities (other than Distribution Licenses)-Response by Reliance Gas Transportation Infrastructure Limited (RGTEL) (CS -7), Nhavare-Chaufala Road, Tali.- Shirur, Pune

Dear Sir,

We refer to the notice vide letter no. MERC / Case no. 101 of 2017/2017-18/ 3234, dated 23.6.2017 on subject and submit response as under:-

- i. MEDA vide its letter no. BR/RPO-status CR-118.2015-16/3507 dated 17.10.2015 had earlier sought filing details of RPO achievement data by CPP/OA consumers for FY 2014-15 or submit valid certificate from concerned authority in case plant fall under exempted category. RGTEL's CS -7 submitted its detailed reply vide letter dated 30.10.2015 along with requisite supporting to claim status under exempted category (copies of above letters enclosed).
- ii. On careful consideration of the details furnished therein, MEDA in November 2015 had published 'E - Summary of RPO report of Not Obligated Entities for FY 2014-15' and made available on MEDA website wherein RGTEL CS-7 has been accorded status as 'Not obligated' under RPO by MEDA in their 'E - Summary of RPO report of Not Obligated Entities for FY 2014-15 list' at Sr no. 109 (Copy of List Enclosed).
- iii. We are once again submitting certification from Electrical Inspector, Inspection Division, Pune (Copy Enclosed) for DG set for Own generation and is without MSEDCL connection. Certificate was issued on 29.8.2013.

In view of above stated facts and duly recognized status by MEDA, It is requested that MERC may recognize status RGTEL CS -7 as 'Non Obligated' for entire period of RPO Regulation 2010.



MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)

(A Government of Maharashtra Institution)

Ref: BP/RPO-STATUS/ CR-118/2015-16/3507

17 October 2015

SPEED POST

To,

Reliance Gas Transportation Infrastructure Limited
Bldg. No. 7, "A" / "B" Wing, Second Floor,
Thane-Belapur Road, Ghansoli,
Navi Mumbai - 400701

in
Road 11/15

R. Surfesh

Per madhul

Sub: - RPO achievement data by CPP/OA consumers for FY 2014-15- Data submission regarding

Ref: - MERC's "Renewable Purchase Obligation, Its compliance & Implementation of REC framework" Regulation 2010" issued on dated 7th June 2010.

Sir,

MERC vide its order dated 7th June, 2010 has declared RPO-REC regulations, 2010 for implementation of RPO obligations, its compliance, and REC framework implementation in the state. Further to implement this MERC vide its order dated 1st July, 2010 has designated MEDA to undertake the functions as state agency.

Since every grid connected CPP (above 1MW) /OA consumer (above 1MVA) comes under the category of obligation, your plant comes under the category of obligated entity for the fulfilment of annual RPO.

You are aware that, FY 2014-15 has already over, MEDA has to submit report on Final RPO achievement for FY 2014-15 to MERC. Therefore, for RPO compliance and data compilation you are requested to submit the RPO data in prescribed form as per below-

1. Final RPO achievement data for FY 2014-15 in MERC approved data collection formats (available at MEDA website and in MEDA RPO manual) along with proofs of RPO fulfilment i.e. Renewable energy procurement details including REC certificate in case of CPP/OA consumers.
2. In case your plant falls under exemption category, submit valid certificate from concerned authority as mentioned in MEDA RPO manual.

Please note that, above data should reach to MEDA on or before 31st October, 2015 in soft as well as hard copy. Failure of which nil data will be reported to MERC for enforcement of RPO Obligation.

Thanking You,

Yours Sincerely

(Dr. J.V. Torane)

General Manager (REC, R&D)

prd@mahaurja.com

Certificate

This is to certify that M/s. Reliance Gas Transportation & Infrastructure Ltd., Compressor station -07, Navare – Chaufala Road, Tal. Shirur Dist. Pune having following D.G. Sets for their own generation.

Sr. No.	Make	Rating	Sr. No.	Fuel
1.	Cummins	750 KVA	25324492	Diesel
2.	GE-Jenbacher	1350 KVA	4965641	Gas
3.	GE- Jenbacher	1350 KVA	4965741	Gas
4.	GE- Jenbacher	1350 KVA	4965871	Gas

The installation at above site is without MSEDCL connection.

NO 05915

No/EI/P-2/ /2013-14.
Office of The Electrical Inspector,
I E & L Deptt.,
Bungalow No.8, Airport Road,
Near Yerawada Telephone Exchange
Yerawada, Pune 411006

Date- 29 AUG 2013

P. Delavade
Electrical Inspector
Inspection Division, Pune.



To,

22nd August, 2013

Office of the Electrical Inspector,
Electrical Inspection Division,
I.E. & L Department,
Yerawada,
Pune-411006

Subject : Request for certification of GEG sets as Power Source & DG set as Emergency Source, not connected to MSEDCL Grid system.

Reference: Letter of Maharashtra Energy Development Agency(MEDA) on dated 08.08.2013 (Enclosed).

Dear Sir,

This has with reference to the letter referred above.

We are having three nos registered Gas generator Sets & one no DG set (Detail as given below), which are used as a main Power/ Emergency source.

We are requesting you to certify that our GEG/DG sets are used as a "Power/Emergency source & not connected to MSEDCL Grid". This certification is mandatory for getting exemption fro RPO obligation as per MERC Regulation, 2010.

Details of GEG/DG sets

Sr. No.	Make	Rating	Sr. No.	Fuel	Registration No.
1.	Cummins	750KVA	25324492	Diesel	E/PN/1058 (i)
2.	GE-Jenbacher	1350KVA	4965641	Gas	E/PN/1058 (ii)
3.	GE-Jenbacher	1350KVA	4965741	Gas	E/PN/1058 (iii)
4.	GE-Jenbacher	1350KVA	4965871	Gas	E/PN/1058 (iv)

Regards

Rajeev Gupta

Reliance Gas Transportation & Infrastructure Limited.
Compressor station -07
Nhavare-Chaufala Road, Tal-Shirur, Pune.



Government of Maharashtra
Office of the Chief Engineer (Elec.)
Public Works Department
Admn.Bldg.3rd.floor, R.C.Chemburkar Marg.,
Chembur, Mumbai-400 071.

Website : www.mahapwd.com

Email-ecr_pwd@mahapwd.com / ecr@mahapwd.com

Telephone: (022) 25221669 / 2097 / 2046

Fax : (022) 25222046

No.CE(Elec.)Desk-5(6) / 360 / 2010

Date :-

26 APR 2010

To,

M/s.Reliance Gas Transportation Infrastructure Limited.
Reliance Compressor Station Generator,
(CS-7) , Nhavare - Chaulala Road,
Tal.- Shirur, Dist. - Pune - 412217.

Sub:-Registration of Generating set

Ref.:- 1) Your letter dated 4/2/2010.

Sir,

With reference to above, I have to inform you that the registration Nos. are assigned for the generating sets installed in your premises as required under provision of Rule No.4(i) of the Bombay Electricity Duty Rules 1962 as per the particulars given below :-

Sr. No.	Make	Installed capacity in KVA	Whether Thermal/ Diesel	Purpose for which the set installed.	Registration No.	Date of Commencement
1)	Cummins / Stamford	750 KVA	Diesel	Industrial	E/PN/1058 (i)	26/2/2009
2)	GE-Jenbacher / Newage	1350 KVA	Gas	Industrial	E/PN/1058(ii)	9/4/2009
3)	GE-Jenbacher / Newage	1350 KVA	Gas	Industrial	E/PN/1058(iii)	9/4/2009
4)	GE-Jenbacher / Newage	1350 KVA	Gas	Industrial	E/PN /1058(iv)	9/4/2009

- The above generator set/s are registered subject to the fulfilment of the following -requirements.
1. The generator set/s shall have to be inspected by the Area Electrical Inspector every year and the copy of inspection report issued by the Electrical Inspector should be submitted to this office.
 2. Quarterly returns in Form "B" enclosed to this letter should be submitted to this office as well as to the Electrical Inspector before 15th of the succeeding month of the end of the quarter as required under Rule 4(3) of the B.E.D. Rules 1962. If the units generated during the quarter are Nil, Nil Report should be submitted.
 3. In case of transfer/disposal of generator Set(s) a report to that effect should be immediately made to this office for cancellation of the Registration Nos. already assigned under intimation to Electrical Inspector.
 4. Any changes in the name of the Industry should be immediately reported and necessary application for transferring the registration in the name of new company be sent to this office without fail.

Encl.:- Form "B"

Yours faithfully,


(S.T.Vatekar)
Chief Engineer (Elec.)

Copy to the Superintending Engineer (Elec.) P.W.D. Pune Region Circle for information.

Copy to the Electrical Inspector, Inspection Division, Pune for information.

S.No	Name of Entities	Year	Capacity (MW)	Gross Energy Consumption (MWh)	Solar RPO (Target @ 0.5% per FY 2014-15)	RLE actually procured against target (in MWh)	Non-Solar RPO Target (including wind & hydro) @ 0.5% (in MWh)	Non-Solar RE Procurement (in MWh)	Renewable Energy Generation (in MWh)	Total RE actually generated (in MWh)	Total RLE to be met (in MWh)	Remarks from Entity	Remarks from MSEDCL
1	Maharaja Gas Limited Ltd., Heav, Block 0-32, Bhandarkar Corporation, Bhandarkar, Mumbai 400 651	2014-15	8.76	9,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 18.11.2015 submitted that 202500VA & 202500VA DG sets are used as Stand by. Certificate to that effect from Electrical Inspector dated 28.03.2015 submitted. Although, the consolidated capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
2	Central Pharmaceutical Pvt. Ltd. HMT Park, Plot No. 4, Sector - 2, Bopal, Pune - 411 007.	2014-15	8.80	9,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that 15000VA & 2000VA DG sets are used as Stand by. Although, the consolidated capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
3	Central Pharmaceutical Pvt. Ltd. Plot no. 757A, Chhatrapati Shivaji Maharaj Park, Thane - 401 501	2014-15	0.34	8,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that 75000VA & 25000VA DG sets are used as Stand by. Although, the consolidated capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
4	Centaur Pharmaceuticals Pvt. Ltd. NEC House, Shreekrishna, Vadali, Sion Road, E.I. Marolli - 400 025	2014-15	0.28	8,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that 75000VA & 25000VA DG sets are used as Stand by. Although, the consolidated capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
5	Shreeji Agro-Tech Ltd. K-110, MIDC, Dhule - 432008	2014-15	8	0,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 20.11.2015 submitted that they are Wind Power Generator and not consumers. Entity is not obligated under RPD for FY 2014-15. Though, the installed capacity of WTs is less than 1 MW.	P.L. letter OK as MS EDCIL Electric Proving Test Unit report submitted prior to entity's RPD obligation under RPD for FY 2014-15.
6	Genius Sports Ltd. PVT. LTD. CHATRAPATI SHIVAJI PARK, Sion Road, Bhandarkar - 411001	2014-15	8.30	9,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 26.11.2015 submitted that for FY 2014-15 they are using only MGCCDL power & not utilizing Open Access power.	As per letter submitted by Entity, Entity is not obligated under RPD for FY 2014-15.
7	National Rayon Corporation Ltd. NRC Limited, Maharashtra (Rayon), Jodhpur - 421 102	2014-15	8.30	9,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 18.11.2015 submitted Company Locked down since 18/11/2015 and having no CPP.	As per documents submitted, Entity is not obligated under RPD for FY 2014-15.
8	Shreeji Agro-Tech Ltd. The Sunand, Durg, Pore-412 122	2014-15	0.81	8,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that 20000VA DG set is used as Stand by. Although, the consolidated capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
9	Sector Energy Ltd One Earth, S- Park, To a Village Side, Sion Road, Bhandarkar, Pune	2014-15	0.79	8,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that entity is generating power from solar & photovoltaic source. Although, the consolidated capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
10	Maruti Hydr Power Projects Pvt. Ltd., 307/3, Shreekrishna, Jodhpur, behind G.T. Mahadev, Pune - 411 027	2014-15	0.08	0,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that entity will have open access power from Open Access.	As per documents submitted, Entity is not obligated under RPD for FY 2014-15.
11	Kalyani Carpenter Special Steels Limited, Mundra, pune - 411 028	2014-15	0.06	0,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that entity is not procuring power from Open Access.	As per documents submitted, Entity is not obligated under RPD for FY 2014-15.
12	Utech Innovation Ltd, Plot no. F- 1/2, Raju Gandhi Indrath Park, Phase - I, Hiranagar, Pune - 411057	2014-15	0.20	0,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that 12000VA DG sets are used as Stand by also 25000VA WTG. Certificate to that effect from Electrical Inspector dated 22.04.2015 & MGCCDL dated 10.03.2015 submitted. Although, the capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
13	Shriwadi Manufacturing Pvt. Ltd. 552/71, Behind Tatanagar Marg, Sion, A P Road, Bhandarkar, Pune - 400 083	2014-15	8.30	0,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 23.11.2015 submitted that 25000VA WTG power has been used to meet DCCL in FY 2014-15. Hence, the capacity comes to be less than 1 MW.	As per documents & proforma submitted, Entity is not obligated under RPD for FY 2014-15.
14	Avery Dennison India Pvt. Ltd., K-11, MIDC, Rajgurunagar Industrial Area, Tal-Sion, Dist. - Pune	2014-15	0.80	8,00,000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	Entity vide letter dated 26.11.2015 submitted that for FY 2014-15 they are not utilizing Power Open Access.	As per letter submitted by Entity, Entity is not obligated under RPD for FY 2014-15.

[illegible]

[illegible]

[illegible]



MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)

(A Government of Maharashtra Institution)

Ref: BP/RPO-STATUS/ CR-118/2015-16/3507

17 October 2015

SPEED POST

To,

Reliance Gas Transportation Infrastructure Limited.
(CS-7), Nhavare - Chaulala Road, Tal.- Shirur, Pune- 412217

Sub: - RPO achievement data by CPP/OA consumers for FY 2014-15 Data submission regarding

Ref: - MERC's "Renewable Purchase Obligation, Its compliance & Implementation of REC framework" Regulation 2010" issued on dated 7th June 2010.

Sir,

MERC vide its order dated 7th June, 2010 has declared RPO-REC regulations, 2010 for implementation of RPO obligations, its compliance, and REC framework implementation in the state. Further to implement this MERC vide its order dated 1st July, 2010 has designated MEDA to undertake the functions as state agency.

Since every grid connected CPP (above 1MW) /OA consumer (above 1MVA) comes under the category of obligation, your plant comes under the category of obligated entity for the fulfilment of annual RPO.

You are aware that, FY 2014-15 has already over, MEDA has to submit report on Final RPO achievement for FY 2014-15 to MERC. Therefore, for RPO compliance and data compilation you are requested to submit the RPO data in prescribed form as per below-

1. Final RPO achievement data for FY 2014-15 in MERC approved data collection formats (available at MEDA website and in MEDA RPO manual) along with proofs of RPO fulfilment i.e. Renewable energy procurement details including REC certificate in case of CPP/OA consumers.
2. In case your plant falls under exemption category, submit valid certificate from concerned authority as mentioned in MEDA RPO manual.

Please note that, above data should reach to MEDA on or before 31st October, 2015 in soft as well as hard copy. Failure of which nil data will be reported to MERC for enforcement of RPO Obligation.

Thanking You,

Yours Sincerely

(Dr. J. V. Torane)

General Manager (REC, R&D)
prd@mahaurja.com

30th October 2015

To,
General Manager (REC, R&D)
MEDA
Pune – 411006

Subject: RPO achievement data by CPP/OA consumers for FY 2014-15-Data submission regarding

Ref: MERC's "renewable Purchase Obligation, Its compliance & Implementation of REC framework" Regulation 2010" issued on dated 7th June 2010

Dear Sir,

In reference to your office letter no. BP/RPO- status CR-118/2015-16/3507, dated 17th October 2015, advising us to submit RPO achievement data by CPP/OA consumers for FY 2014-15 or to submit a valid certificate from concerned authority in case plant falls under exemption category, we wish to bring to your kind notice that our plant located at Nhavare (CS-7) falls under the exempted category.

The certificates stated hereunder issued by the concerned authority referred at clause no 16 of RPO Manual are enclosed:-

- i. Copy of Electrical Inspection vide letter no. 8th Jan 2015 of installation year 2014-15.
- ii. Certificate vide Letter ref. no. OW no. EE (E)/051/2257/2008-09 El dated 2nd Apr 2009, issued by EE, PWD, Pune
- iii. Certificate of registration vide ref. no. CE (Elect)/ desk-5(6)/360/2010, 26.4.2010 issued by O/O CE, PWD, Government of Maharashtra.


We further wish to bring to your kind notice that Generator sets installed at CS -7 site are meant for standalone captive generation for self consumption only and are not connected to any electricity grid for sale or purchase or OA.

In the light of what is stated above, RGTIL (CS-7) is exempted with RPO fulfilment as referred in item no. 2 of your above referred letter.

Thanks and Regards

For Reliance Gas Transportation Infrastructure Ltd

CS07 Nhavare, Ta - Shirur Dist. Pune (MS)



Authorized Signatory

CS Incharge - O & M
Reliance Gas Transportation
& Infrastructure Ltd.,
P.O. Nhavare, Tal. Shirur,
Dist. Pune - 412217

Encls: As above.





महाराष्ट्र विद्युत नियामक आयोग Maharashtra Electricity Regulatory Commission

MERC/ Case No. 101 of 2017/2017-18 / 3234

Date: 23 June, 2017

NOTICE

To

Reliance Gas Transportation Infrastructure Limited
(CS-7), Nhavare - Chaufala Road,
Tal.- Shirur, Pune- 412217

Subject: Suo-Motu proceedings for Verification and Compliance of Renewable Purchase Obligation targets for FY 2010-11 to FY 2013-14 by Obligated Entities (Other than Distribution Licensees)

(Case No. 101 of 2017)

Ref: Re-validation Report submitted by MEDA vide letter no. BP/RPO Status/CR-116/2015-16/391 dated 30 January, 2016.

Sir,

Under the MERC (Renewable Purchase Obligation, its Compliance and Implementation of REC framework) Regulations, 2010 ('RPO Regulations, 2010'), the Commission has specified the Renewable Purchase Obligation (RPO) targets for Obligated Entities, i.e. Distribution Licensees, Captive Users and Open Access Consumers, in Maharashtra for F.Y 2010-11 to F.Y 2015-16. The RPO targets, specified in Regulation 7.1 are as follows:

Year	Minimum Quantum of purchase (in %) from renewable energy sources (in terms of energy equivalent in kWh)		
	Solar	Non-Solar (other RE)	Total
2010-11	0.25%	5.75%	6.0%
2011-12	0.25%	6.75%	7.0%
2012-13	0.25%	7.75%	8.0%
2013-14	0.50%	8.50%	9.0%
2014-15	0.50%	8.50%	9.0%
2015-16	0.50%	8.50%	9.0%

Regulation 5(5.1) specifies the following RPO applicability criteria for Obligated Entities:

Page 1

Provided further that captive user(s) consuming power from grid connected fossil fuel based co-generation plants, are exempted from applicability of RPO target and other related conditions as specified in these Regulations.

11.4 Captive/Open Access consumer(s)/User(s) may fulfil their RPO through procurement of the Renewable Energy Certificate as provided in Regulation 8. "

Regulation 12 empowers the Commission to deal with shortfalls by Obligated Entities in meeting their RPO targets.

"12. RPO Regulatory Charges

12.1 If the Obligated Entity fails to comply with the RPO target as provided in these Regulations during any year and fails to purchase the required quantum of RECs, the State Commission may direct the Obligated Entity to deposit into a separate fund, to be created and maintained by such Obligated Entity, such amount as the Commission may determine on the basis of the shortfall in units of RPO, RPO Regulatory Charges and the Forbearance Price decided by the Central Commission; separately in respect of solar and non-solar RPO:

Provided that RPO Regulatory Charges shall be equivalent to the highest applicable preferential tariff during the year for solar or non-solar RE generating sources, as the case may be, or any other rate as may be stipulated by the State Commission:

Provided further that the fund so created shall be utilised, as may be directed by the State Commission."

In its Order dated 22 July, 2013 in Case No. 49 of 2013 regarding compliance of RPO targets by Captive Users and Open Access consumers for FY 2010-11 and FY 2011-12, the Commission stated as follows:

25.[The Commission] directs all Captive Users and Open Access Consumers to fulfil their RPO targets for both Solar and Non-Solar for all Four years i.e. FY 2010-11, FY 2011-12, FY 2012-13 and FY 2013-14 cumulatively before 31 March, 2014. Thus, the Commission hereby relaxes/waives the provisions of Regulation 7 of the MERC (RPO-REC) Regulation 2010 for the year during FY 2010-11, FY 2011-12 and FY 2012-13.

26. The Commission also decides that no regulatory charges shall be applicable on Captive Users and Open Access Consumers for non fulfilment of RPO targets during FY 2010-11, FY 2011-12 and FY 2012-13 provided that the same shall be fulfilled on a cumulative basis as specified in the relevant sections of this order."

In accordance with Regulation 9.6 of the RPO Regulations, 2010, the Maharashtra Energy Development Agency (MEDA), vide its letter dated 30 January 2016 , submitted the RPO

Copy to:

Maharashtra State Electricity Distribution Co Ltd.
Prakashgad Building, Plot No. G-9,
Bandra (East), Mumbai 400 051.
Email: md@mahadiscom.in

Reliance Infrastructure Limited
Devidas Lane, Off SVP Road
Near Devidas Telephone Exchange
Borivali (W)
Mumbai 400 09
Kishor.R.Patil@relianceada.com

The Tata Power Company Ltd.
Dharavi Receiving Station
Regulations Department
Matunga,
Mumbai 400 019
bhaskar.sarkar@tatapower.com

Brihanmumbai Electric Supply and Transport Undertaking
BEST Bhavan, BEST Marg,
Post Box No 192
Colaba, Mumbai- 400 001
gm@bestundertaking.com

Maharashtra State Electricity Transmission Co. Ltd.
8th Floor, Prakashganga, Plot No. C-19, E- Block,
Bandra Kurla Complex, Bandra (E)
Mumbai-400 051.

Maharashtra State Load Dispatch Centre, Kalwa
Thane – Belapur Road, P.O Aroli
Navi Mumbai 400 708.

The Director General,
Maharashtra Energy Development Agency, Pune
MHADA Complex, Yerwada
Pune – 411 006.

Mumbai Grahak Panchayat,
Grahak Bhavan,
Sant Dynaneshwar Marg,
Behind Cooper Hospital,
Vile Parle (West), Mumbai - 400 056
E-mail: mgpanchayat@yahoo.com

Vidarbha Industries Association,
1st Floor, Udyog Bhavan,
Civil Line, Nagpur - 440 001
E-mail: rkengg@gmail.com

Maharashtra Chamber of Commerce,
Industry & Agriculture,
Oricon House, 6th floor,
12 K. Dubash Marg, Fort, Mumbai - 400 001
(Nashik Branch)
E-mail: maccia.nsk@gmail.com

Chamber of Marathwada Industries & Agriculture
Bajaj Bhavan, P-2, MIDC Industrial Area,
Railway Station Road, Aurangabad - 431005
E-mail: info@cmia-aurangabad.com

Cc: Individual Consumer Representatives:-

Dr. Haribhau Gorakh Barhate
Opp. Dr. Bhagat Hospital,
Dist. Bank Colony, Ward No.7,
Shrirampur, Dist. Ahmednagar - 413709
Email:- ghbarhate@rediffmail.com

Shri Hemant Arunchandra Kapadia,
25, Shantiniketan Colony,
Near Shani Mandir,
Aurangabad - 431001
Email:- hemantkapadia00@hotmail.com

Shri Sunil David Sonawane
1326, Marry Cottage, Mother Teresa Road,
Shrirampur, Dist. Ahmednagar - 413709
Email:- sonawane_sd@rediffmail.com

Shri Praneta Ravindra Desale
At Post Dahivel, Tal. Sakri,
Dist. Dhule - 424304
desalepr@rediffmail.com

Dr. Anil Gunderao Anikhindi
J-404, Om Datta Chile Park,
Vishwakarma Project, Pratibhanagar,
Kolhapur - 416008
Email:- anilcost@gmail.com