

No. MERC/Case No. 145 of 2019/0365

12 July,2019

**NOTICE**

Subject:- Petition filed by Maharashtra State Electricity Distribution Co. Ltd. seeking review of Hon'ble Commission order dated 16.01.2019 in Case No. 278 of 2018 in the matter of Miscellaneous Application in Case No. 220 of 2014 in the matter of section 86 (1) (E) of the Electricity Act, 2003 and Suggestive Promotional Measures as called for by the order dated 2 May, 2018  
- **Case No. 145 of 2019**

I am directed to communicate that the hearing in the matter scheduled on Monday, 22 July, 2019 at 10.00 hrs is Preponed and rescheduled on **Wednesday, 21 August, 2019 at 10.00 hrs** in the office of the Commission at 13<sup>th</sup> floor, Centre No.1, World Trade Centre, Cuffe Parade, Mumbai - 400 005.

Sd/-  
(R. S. Sonawane)  
Dy. Director (Legal)

The Chief Engineer (Renewable Energy),  
Maharashtra State Electricity Distribution Co. Ltd  
Prakashgad, Plot No G-9,  
Anant Kanekar Marg,  
Bandra (East), Mumbai - 400 051  
E-mail:- [cecomm@mahadiscom.in](mailto:cecomm@mahadiscom.in)

Petitioner

M/s Lloyds Metal & Energy Limited  
Trade Word 'C' Wing, 16<sup>th</sup> Floor, Kamala City  
Senapati Bapat Marg,  
Lower Parel (West), Mumbai - 400 013  
E-mail: [abhishek@kharelegalchambers.com](mailto:abhishek@kharelegalchambers.com)

Respondent - 1

Tata Power Company Limited (Distribution)  
Corporate Centre, 'B' 34, Sant Tukaram Road,  
Carnac Bunder, Mumbai - 400 009  
E-mail:- [vhwagle@tatapower.com](mailto:vhwagle@tatapower.com) / [srmehendale@tatapower.com](mailto:srmehendale@tatapower.com)

Respondent - 2

Adani Electricity Mumbai Limited (Distribution)  
CTS 407/A (New), 408 Old Village, Eksar Devidas Lane,  
Off SVP Road , Borivali West, Mumbai – 400 103  
E-mail: [ajit.barodia@adani.in](mailto:ajit.barodia@adani.in)

Respondent - 3

The General Manager,  
BEST Undertaking  
BEST Bhavan, BEST Marg,  
Fort, Mumbai - 400 001  
E-mail:- [gm@bestundertaking.com](mailto:gm@bestundertaking.com) / [dgm@bestundertaking.com](mailto:dgm@bestundertaking.com)

Respondent - 4